



PRODUCT DATA SHEET

ORBIS FRAME CLICK SENSOR 335 24W

ORBIS CLICK SENSOR | Luminaires can be activated by sensor mode or conventional wall switch

application areas

• Corridors, entrance areas

product benefits

• Easy and quick installation

product properties

- Luminaires can be activated by sensor mode or conventional wall switch
- The operating mode can be easily changed by three clicks of the wall switch
- Motion sensor (microwave technology) with adjustable detection parameters



TECHNICAL SPECIFICATIONS

electrical data


rated capacity	24.00 W
nominal voltage	220...240V
mains frequency	50...60Hz
Mains power factor γ	> 0.70
protection class	II
operating mode	mains voltage

photometric data

Luminous flux	1320 lm
light output	55lm/W
color temperature	3000K
Light color (designation)	Warm white
Color rendering index Ra	80
Standard deviation of the color balance	< 6 sdcn
beam angle	120°

Mass weight

diameter	335.00mm
Height	75.00mm
product weight	593.00g



Materials & Colors

product color	White
case color	White

housing material	stole
material cover	Polymethyl methacrylate (PMMA)
Lamp mercury content	0.0 mg

Application & Installation

ambient temperature range	-20...40°C
connection type	Pressure connection terminal, 2-pin
Degree of protection	IP20
Dimmable	no
mounting type	cultivation
mounting location	ceiling
application environment	indoor applications
Replaceable LED module	Not replaceable

lifespan

Lifetime L70/B50 at 25 °C	30000h
number of switching cycles	15000

sensor

type of sensor	light / movement
sensor technology	microwaves
Sensor-controlled switching time	5s...30mins
Detection area of the motion sensor	2...6 m
Daylight sensor detection threshold	2...50 lux


Certificates & Standards




norms	CE/EAC/REACH/RoHS
-------	-------------------

TECHNICAL EQUIPMENT

ÿ Complete assembly and connection accessories included

DOWNLOADS

DOWNLOADS	
	Userinstructions ORBIS

DOWNLOADS	
	tender texts Tender Text 4058075472792
	Declarations of Conformity ORBIS CLICK SEN
	Packaging insert Legal insert

PACKAGING INFORMATION

EAN	Packaging unit (pieces per unit)	Dimensions (length x width x height)	gross weight	volume
4058075472792	folding box 1	362mm x 82mm x 367mm	834.00 g	10.89 dm³
4058075472808	shipping box 5	432mm x 377mm x 390mm	5150.00 g	63.52 dm³

The product numbers mentioned describe the smallest quantity unit that can be ordered. A shipping unit can contain several individual products.
Please use the single or multiple of a shipping unit as the order quantity.

Disclaimer

Changes and errors excepted. Make sure you're always using the latest version.