



## DELL P2421 61.2 cm (24.1") 1920 x 1200 pixels WUXGA LCD Black

Brand : DELL

Product code: DELL-P2421

Product name : P2421

- 61.2cm (24.1") WUXGA 1920 x 1200 LED IPS
  - 8ms, 16:10, 300cd/m<sup>2</sup>, 1000:1
  - USB, VGA, DVI, HDMI, DisplayPort
- 61.2cm (24.1") WUXGA 1920 x 1200 LED IPS, 16:10, 300cd/m<sup>2</sup>, 16.78M, 8ms, 178°/178°, 1000:1

DELL P2421 61.2 cm (24.1") 1920 x 1200 pixels WUXGA LCD Black:

See more and scroll less with 11% more screen real estate on a tall 24", 16:10 WUXGA monitor.  
 DELL P2421. Display diagonal: 61.2 cm (24.1"), Display resolution: 1920 x 1200 pixels, HD type: WUXGA,  
 Display technology: LCD, Response time: 8 ms, Native aspect ratio: 16:10, Viewing angle, horizontal:  
 178°, Viewing angle, vertical: 178°. Built-in USB hub, USB hub version: 2.0 / 3.2 Gen 1 (3.1 Gen 1). VESA  
 mounting, Height adjustment. Product colour: Black



Display		Ergonomics	
Display diagonal *	61.2 cm (24.1")	Cable lock slot *	✓
Display brightness (typical)	300 cd/m <sup>2</sup>	VESA mounting *	✓
Display resolution *	1920 x 1200 pixels	Height adjustment *	✓
Native aspect ratio *	16:10	Height adjustment	13 cm
Response time	8 ms	Pivot	✓
HD type *	WUXGA	Pivot angle	-90 - 90°
Display technology *	LCD	Swivelling	✓
Backlight type	LED	Swivel angle range	-45 - 45°
Screen shape *	Flat	Tilttable	✓
Supported graphics resolutions	640 x 480 (VGA), 720 x 400, 800 x 600 (SVGA), 1024 x 768 (XGA), 1152 x 864 (XGA+), 1280 x 1024 (SXGA), 1600 x 1200 (UXGA), 1920 x 1200 (WUXGA)	Tilt angle range	-5 - 21°
Supported video modes	480i, 480p, 576i, 576p, 720p, 1080i, 1080p	Power	
Contrast ratio (typical) *	1000:1	Energy efficiency class (SDR) *	D
Maximum refresh rate *	60 Hz	Energy consumption (SDR) per 1000 hours *	15 kWh
Viewing angle, horizontal	178°	Power consumption (typical) *	14.8 W
Viewing angle, vertical	178°	Power consumption (standby) *	0.2 W
Display colors *	16.78 million colours	Power consumption (max)	42 W
Panel type *	IPS	Power consumption (off)	0.2 W
Response time (fast)	5 ms	AC input voltage	120 - 230 V
Pixel pitch	0.27 x 0.27 mm	AC input frequency	50/60 Hz
Pixel density	94 ppi	Energy efficiency scale	A to G
Horizontal scan range	30 - 83 kHz	Operational conditions	
Vertical scan range	56 - 76 Hz	Operating temperature (T-T)	0 - 40 °C
Viewable size, horizontal	51.8 cm	Storage temperature (T-T)	-20 - 60 °C
Viewable size, vertical	32.4 cm	Operating relative humidity (H-H)	20 - 80%
Viewable size diagonal	61.1 cm	Storage humidity	10 - 90%
RGB colour space	sRGB	Operating altitude	0 - 5000 m
sRGB coverage (typical)	99%	Storage altitude	5000 - 12192 m

Multimedia		Sustainability	
Built-in speaker(s) *	✘	Sustainability certificates	RoHS, ENERGY STAR
Built-in camera *	✘	Weight & dimensions	
Design		Width (with stand)	531 mm
Market positioning *	Business	Depth (with stand)	166 mm
Product colour *	Black	Height (with stand)	500.8 mm
Ports & interfaces		Weight (with stand)	5.1 kg
Built-in USB hub *	✓	Width (without stand)	53.1 cm
USB hub version	2.0 / 3.2 Gen 1 (3.1 Gen 1)	Depth (without stand)	4.41 cm
Number of upstream ports	1	Height (without stand)	35 cm
USB Type-A downstream ports quantity	4	Weight (without stand)	3.5 kg
VGA (D-Sub) ports quantity	1	Bezel width (side)	6.3 mm
DVI port	✓	Bezel width (top)	6.3 mm
HDMI *	✓	Bezel width (bottom)	1.92 cm
HDMI ports quantity	1	Packaging data	
HDMI version	1.4	Stand included	✓
DisplayPorts quantity	1	Cables included	AC, DVI, DisplayPort, USB Type-C to USB Type-C, VGA
DisplayPort version	1.2	Package width	167 mm
Audio input	✘	Package depth	608 mm
Headphone out *	✘	Package height	420 mm
Ergonomics		Package weight	7.3 kg
VESA mounting interfaces	100 x 100 mm		



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.