

K 3 Power Control

K 3 Power Control pressure washer with G 120 Q Power Control spray gun and spray lances. With application consultant via app, which provides practical tips for even more efficient cleaning results.















1 Home & Garden app

- The Kärcher Home & Garden app makes you a cleaning expert.
- Make use of our extensive K\u00e4rcher knowledge for the perfect cleaning results.

Height-adjustable telescopic handle

- For a convenient pulling height.
- Completely retractable for optimal storage.

2 Power Control spray gun and Quick Connect spray lances

- The optimal setting for every surface. Three pressure settings and one detergent setting.
- Full control the manual display shows the settings that have been

4 Clean tank solution

- Clean and convenient the detergent tank can be removed for filling.
- The practical detergent tank simplifies the application of detergents.

TECHNICAL DATA AND EQUIPMENT





K 3 Power Control

- Power Control spray gun with pressure level display
- Telescopic handle
- Detergent tank

Technical data		
Order no.		1.676-100.0
EAN code		4054278605166
Pressure	bar / MPa	20 - max. 120 / 2 - max. 12
Flow rate	I/h	max. 380
Inlet temperature	°C	max. 40
Connected load	kW	1.6
Current type	V / Hz	220 - 240 / 50 - 60
Weight without accessories	kg	4.39
Dimensions (L × W × H)	mm	297 × 280 × 677

Equipment		
High-pressure spray gun		G 120 Q Power Control
Vario Power Jet		1
Dirt Blaster		I
High-pressure hose	m	7
Quick Connect on the side of the device		I
Detergent application via		Tank
Integrated water filter		Ĭ
A3/4" garden hose connector adapte	•	1
Removable cleaning agent tank		I

■ Included in the scope of supply.

K 3 POWER CONTROL 1.676-100.0































		Order no.		Price	Description	
Spray lances		0.00.10.			3333.733	Н
VP 120 vario power jet for K 2-K	1	2.642-724.0		I	Vario power spray lance for pressure washers in classes K 2	
3	1	2.042 724.0			to K 3. Continuously adjustable from low-pressure detergent	
DB 120 dirt blaster for K 2-K 3	2	2.642-727.0			jet to high-pressure jet, simply by turning the spray lance. Dirt blaster with powerful entry rotary nozzle for Kärcher	Н
DB 120 dire blaster for R 2 R 3	2	2.042 727.0			pressure washers in classes K 2 and K 3. For particularly	
TIA 4 talanania anno ilana		25444000			stubborn dirt like that on mossy or weathered surfaces.	Н
TLA 4 telescopic spray lance	3	2.644-190.0			Simple cleaning at (almost) every point: The telescopic spray lance easily reaches areas that are difficult to access thanks	
					to its 180° adjustable hinge.	ŭ
Façade & glass cleaning kit	4	2.644-249.0			Set comprising the telescopic spray lance TLA 4 and the	
					façade and glass cleaning attachment. For easy cleaning of objects that are difficult to access such as house façades or	
					conservatories.	
Splash guard	5	2.642-706.0			Transparent splash guard for class K 2 to K 7 Kärcher pres-	
					sure washers protects the operator and surrounding area from spray water. Ideal for cleaning corners and edges.	
Angled spray lance	6	2.638-817.0			Extra-long angled spray lance (about 1 m) for easy cleaning	H
/ mg.ca spray fairee	Ü	2.000 017.0			of difficult to reach areas, e.g. roof gutters or vehicle under-	
1-step lance extension	7	2.643-240.0			bodies. Extends spray lance by 0.4 m. For effective cleaning of	Н
1 Step furice extension	,	2.043 240.0			difficult to reach areas. Suitable for all Kärcher accessories.	
VP 180 S vario power jet short	8	2.643-254.0			VP 180 S: The vario power jet short 360° with infinitely	
360° for K 2-K 7					variable pressure regulation and adjustable 360° joint is	
Telescopic spray lance	9	2.642-347.0			ideal for cleaning areas that are difficult to reach. Telescopic spray lance (1.20 m - 4 m) for easy cleaning of	H
					difficult to reach areas. With shoulder strap, bayonet con-	
					nection and integrated, ergonomically adjustable trigger gun. Weight: ca. 2 kg	- -
Surface cleaners					Weight. Cd. 2 Ng	Н
T 5 T-Racer surface cleaner	10	2.644-084.0			Thorough and splash-free cleaning over large areas: The T 5	
					T-Racer surface cleaner. The adjustable nozzle position	
					means the surface cleaner can be used to clean hard and delicate surfaces alike.	-
PS 30 power scrubber surface	11	2.644-123.0			The PS 30 power scrubber, with its three integrated	П
cleaner					high-pressure nozzles, powerfully removes stubborn dirt	
					from various surfaces, while saving time. Ideal for stairs and	
					edges. Includes integrated squeegee blade to remove the dirty water.	
PS 30 Plus power scrubber surface	12	2.644-212.0			The PS 30 Plus power scrubber removes stubborn dirt with	П
cleaner					its three high-pressure nozzles. Thanks to the swivelling	
Brushes					side nozzle, all corners and edges are effortlessly cleaned.	Н
WB 150 power brush	13	2.643-237.0			WB 150 power brush for splash-free cleaning of sensitive	
					surfaces. The effective combination of high pressure and	a
					manual brush pressure saves energy, water and up to 30% time.	
WB 120 rotating wash brush	14	2.644-060.0			Rotating wash brush with interchangeable attachment for	H
-					cleaning all smooth surfaces such as paint, glass or plastic.	
					Quick and easy attachment changing thanks to the integrat-	
Rotating wash brush	15	2.644-061.0			ed release lever. Ideal for cleaning smooth surfaces such as paint, glass or	\forall
	10				plastic: The rotating wash brush with interchangeable at-	
■ Included in the scope of suppl		Available accessorie			tachment.	Ш

[■] Included in the scope of supply.

□ Available accessories.

K 3 POWER CONTROL 1.676-100.0































				1 1		
	Order no.			Price	Description	
16	2.644-129.0				Gently cleans cars and motorbikes: The rotating wash brush	1
					with innovative soft microfibre interchangeable attachment Car & Bike. Machine washable at 60 °C.	: 0
17	2.643-233.0				Soft flat brush for cleaning larger areas such as car, caravar boat, conservatory or roller shutters. Good area perfor-	n,
1.8	2.643-234.0					+
10	2.043 234.0				to reach areas. Uniform 360° water distribution for a perfect cleaning result.	
19	6.903-276.0				Wash brush with soft bristles for cleaning sensitive areas	
					and areas which are difficult to access in the outside area. Suitable for all Kärcher K 2 to K 7 pressure washers.	
					let execute the state of the st	
20	2.643-823.0				The G 120 Q high-pressure gun for all Karcher K 3 Power Control and Full Control devices displays the different pressure stages and the cleaning agent mode. With Quick Con-	- 0
	ti truist sustant and Quis	ls Compost avetom			nect.	_
		K Connect system			Innovative PremiumFlex high-pressure hose with anti-twist	
21	2.043 303.0				system for twist-free work. 10 m long. Includes Quick Connect adaptor. For devices in the K 2 to K 7 ranges. Not suitable for hose reel devices or for Full Control devices in	
stem :	from 2009 with Quick Co	nnnect system			the K 4 to K 7 ranges.	_
	1	Amete system			9 m high-pressure replacement hose for K 2 to K 7 pressure washers manufactured since 2009, on which the hose is	Ιп
					quick coupling. 180 bar, 60°C.	
syste	m from 1992					
23	2.643-037.0				Two-part adapter set for connecting an extension hose with screw thread to a pressure washer with a Quick Connect system. Not for hose reel machines.	n 🗆
m for	devices with Quick Con	nect system				
24	2.641-710.0				High-pressure hose extension for greater flexibility. 10-m, robust DN 8 quality hose for excellent durability. For K 3-K 7 devices with Ouick Connect adapter.	. 🗆
25	2.641-709.0				High-pressure extension hose for greater flexibility. 6 m robust DN 8 quality hose for durability. For K 2 to K 7 serie from 2008 with Quick Connect adapter. Connect between	;s 🗆
					spray gun and high-pressure hose.	丄
20	2642 2400				The gutter and pine cleaning bit works all by itself, with	-
20	2.042-240.0				high pressure. It easily cleans outflows, pipe blockages and	
27	2.637-767.0				Pipe cleaning kit with 15 m hose for clearing blockages in pipes, drains and downpipes.	
28	2.637-729.0				Pipe cleaning kit with 7.5 m hose for clearing blockages in	
					pipes, uranis and downpipes.	
						а
	17 18 19 20 21 sstem 1 22 syste 23 25 26 27	16 2.644-129.0 17 2.643-233.0 18 2.643-234.0 19 6.903-276.0 20 2.643-823.0 21 2.643-585.0 22 2.641-721.0 23 2.643-037.0 24 2.641-710.0 25 2.641-709.0 26 2.642-240.0 27 2.637-767.0	16 2.644-129.0 17 2.643-233.0 18 2.643-234.0 19 6.903-276.0 20 2.643-823.0 ith anti-twist system and Quick Connect system 21 2.643-585.0 system from 2009 with Quick Connect system 22 2.641-721.0 system for devices with Quick Connect system 24 2.641-710.0 25 2.641-709.0 26 2.642-240.0 27 2.637-767.0	16	16 2.644-129.0 17 2.643-233.0 18 2.643-234.0 19 6.903-276.0 20 2.643-823.0 21 2.643-585.0 22 2.641-721.0 23 2.643-037.0 26 2.641-710.0 27 2.637-767.0	Gently cleans cars and motorbikes: The rotating wash brush with innovative soft microfibre interchangeable attachment Car & Bilke. Machine washable at 60°C 17 2.643-233.0

[■] Included in the scope of supply.

□ Available accessories.

K 3 POWER CONTROL 1.676-100.0

















		Order no.		Price	Description	
FJ 3 foam jet	30	2.643-150.0			FJ 3 foam nozzle for cleaning with powerful foam (e.g. ultra foam cleaner). For cars, motorcycles etc. and for applying cleaning products to stone and wood surfaces and façades.	
FJ 10 C Connect 'n' Clean foam jet + Ultra Foam Cleaner	31	2.643-143.0			Ultra foam cleaner + quick-change system FJ 10 C Connect 'n' Clean foam nozzle. Easy change between different detergents with just a simple click.	
FJ 10 C foam jet Connect 'n' Clean with car shampoo 3-in-1	32	2.643-144.0			Car shampoo + quick-change system FJ 10 C Connect 'n' Clean foam nozzle. Easy change between different detergents with just a simple click.	
Miscellaneous						
Sand and wet-blasting kit	33	2.638-792.0			Sand and wet-blasting kit for removing rust, paint and stubborn dirt using Kärcher abrasive.	
Vario joint	34	2.640-733.0			Vario joint, rotates 180° for cleaning difficult to reach areas. For connection between gun and accessory or extension lance and accessory.	
Water filter	35	4.730-059.0			Water filter protects pressure washer pumps against dirt particles from dirty water.	
	36	2.642-794.0			Water filter to protect the high-pressure pump against dirt particles from contaminated water.	
O-ring set	37	2.640-729.0			Replacement O-ring set for easy replacement of O-rings and safety plugs on pressure washer accessories.	

 $[\]blacksquare$ Included in the scope of supply. \Box Available accessories.

K 3 POWER CONTROL 1.676-100.0





















		Order no.			Price	Description	
Hose storage and hose trolley							
Premium Hose Reel HR 7.315 Kit 5/8"	1	2.645-165.0				Watering Station for the practical and space-saving stowage of hoses and garden accessories. With removable drum, storage possibility for nozzles, spray guns, and spray lances and spacious storage box. Fully equipped.	ı
Hose Trolley HT 3.420 Kit 5/8"	2	2.645-167.0				Compact hose trolley with height adjustable handle, angled hose connector, free-wheeling crank, and innovative folding function for space-saving stowage. Fully assembled.	
Hoses			_	_			Ļ
Hose set for pressure washers	3	2.645-156.0				Hose set for high-pressure cleaning or garden watering. With 10 m PrimoFlex® hose (3/4"), G3/4 tap adaptor, 1 x universal hose connector and universal connector with Aqua Stop.	a
Water supply hose set	4	2.645-258.0				Hose set for water supply (pressure washer, garden watering). With 10 m PrimoFlex* hose (½"), hose connector with and without Aqua Stop, and universal connection for non-threaded taps.	[
PrimoFlex* hose 1/2" - 20 m	5	2.645-138.0				The PrimoFlex* (1/2") flexible garden hose is 20 m long, temperature-resistant, comes with pressure-resistant reinforcement technology and contains no substances that are harmful to health. Bursting pressure: 24 bar.	[
PrimoFlex® hose 3/4" - 25 m	6	2.645-142.0				PrimoFlex* quality garden hose (3/4"). 25-m long. With pressure-resistant reinforcement mesh. Contains no substances that are harmful to health. Bursting pressure: 24 bar. High temperature resistance from -20 to 65 °C.	[
Hose Performance Plus 1/2" -20m	7	2.645-318.0				Flexible and extremely resistant to kinks thanks to high-quality multi-layered woven material: the new 20-metre long Performance Plus 1/2" garden hose. Ensures constant water flow.	
Hose Performance Plus 3/4" -25m	8	2.645-322.0				Easy-to-handle, long-lasting and weather-resistant: the 25-metre long Performance Plus 3/4" garden hose. Flexible, ultra-robust and extremely resistant to kinks – for constant water flow.	
Performance Premium hose, 1/2" -20 m	9	2.645-324.0				The hose innovation from Kärcher: the ultra-flexible and kink-resistant Performance Premium garden hose. Diameter 1/2". Length: 20 m. With Kärcher Premium anti-torsion technology.	11 [
Hose connection systems			_				
Universal hose coupling Plus	10	2.645-193.0				Universal hose coupling plus with soft plastic recessed grips for comfortable handling. Compatible with all click systems.	- 11
Universal hose coupling Plus with Aqua Stop	11	2.645-194.0				Universal hose coupling plus with Aqua Stop and soft plastic recessed grips for comfortable handling. Compatible with al click systems.	С

[■] Included in the scope of supply.

Available accessories.