



## EIZO FlexScan EV2430-BK LED display 61.2 cm (24.1") 1920 x 1200 pixels WUXGA Black

**Brand :** EIZO

**Product family:** FlexScan

**Product code:** EV2430-BK

**Product name :** EV2430-BK

EIZO FlexScan EV2430-BK. Display diagonal: 61.2 cm (24.1"), Display resolution: 1920 x 1200 pixels, HD type: WUXGA, Display technology: LED, Response time: 14 ms, Native aspect ratio: 16:10, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. Built-in speakers. Built-in USB hub, USB hub version: 2.0. VESA mounting, Height adjustment. Product colour: Black



Display		Ports & interfaces	
Display diagonal *	61.2 cm (24.1")	DVI-D ports quantity	1
Display brightness (typical)	300 cd/m <sup>2</sup>	DisplayPorts quantity	1
Display resolution *	1920 x 1200 pixels	Headphone out *	✓
Native aspect ratio *	16:10	Headphone connectivity	3.5 mm
Response time	14 ms	HDCP	✓
HD type *	WUXGA	<b>Ergonomics</b>	
Display technology *	LED	VESA mounting interfaces	100 x 100 mm
Screen shape *	Flat	Cable lock slot *	✓
Supported graphics resolutions	1920 x 1200 (WUXGA)	VESA mounting *	✓
Aspect ratio	16:10	Height adjustment *	✓
Contrast ratio (typical) *	1000:1	Height adjustment	14 cm
Viewing angle, horizontal	178°	Pivot	✓
Viewing angle, vertical	178°	Pivot angle	-90 - 90°
Display number of colors *	16.78 million colours	Swivelling	✓
3D compatibility	✗	Tiltable	✓
Panel type *	IPS	Tilt angle	-5 - 35°
Pixel pitch	0.27 x 0.27 mm	<b>Energy Management</b>	
Viewable size, horizontal	51.8 cm	Energy efficiency class (SDR) *	E
Viewable size, vertical	32.4 cm	Energy consumption (SDR) per 1000 hours *	15 kWh
RGB colour space	sRGB	Power consumption *	15.3 W
<b>Performance</b>		Power consumption (standby) *	0.3 W
NVIDIA G-SYNC *	✗	Power consumption (max)	36 W
AMD FreeSync *	✗	AC input voltage	100 - 240 V
<b>Multimedia</b>		AC input frequency	50 - 60 Hz
Built-in speakers *	✓	Energy efficiency scale	A to G
Built-in camera *	✗	<b>Weight &amp; Dimensions</b>	
<b>Design</b>		Width (with stand)	553 mm
Product colour *	Black		

Design		Weight & Dimensions	
Feet colour	Black	Depth (with stand)	233 mm
Ports & interfaces		Height (with stand)	499 mm
Built-in USB hub *	✓	Weight (with stand)	6.7 kg
USB hub version	2.0	Width (without stand)	55.3 cm
Number of upstream ports	1	Height (without stand)	36.8 cm
USB Type-A downstream ports quantity	2	Weight (without stand)	4.3 kg
VGA (D-Sub) ports quantity	1	Other features	
DVI port	✓	On/off switch	✓
		TV tuner integrated	✗



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 16-DEC-2021. Prints or copies of Information are only valid on the printed Publication date