

## Quick Specs

---

**Device Type**

LED-backlit LCD monitor - 23.8"

**Panel Type**

IPS

**Aspect Ratio**

16:9

**Native Resolution**

Full HD (1080p) 1920 x 1080 at 165 Hz

**Pixel Pitch**

0.2745 mm

**Brightness**

350 cd/m<sup>2</sup>

**Contrast Ratio**

1000:1 / 1000:1 (dynamic)

**Response Time**

1 ms (gray-to-gray)

**Color Support**

16.7 million colors

**Input Connectors**

2xHDMI, DisplayPort

**Display Position Adjustments**

Height, tilt

**Screen Coating**

Anti-glare 3H hardness

**Dimensions (WxDxH) - with stand (lowest position)**

21.2 in x 7.5 in x 13.8 in

**Product Description**

Dell 24 Gaming Monitor - G2422HS

**Diagonal Size**

23.8"

**Features**

NA

**Weight**

16.64 lbs

**Compliant Standards**

Product Safety, EMC and Environmental Datasheets

Dell Regulatory Compliance Home Page

Dell and the Environment

[See less](#)

# General

---

**Display Type**

LED-backlit LCD monitor / TFT active matrix

**Diagonal Size**

23.8"

**Adaptive-Sync Technology**

NVIDIA G-Sync Compatible, AMD FreeSync Premium

**Panel Type**

IPS

**Aspect Ratio**

16:9

**Native Resolution**

Full HD (1080p) 1920 x 1080 at 165 Hz

**Pixel Pitch**

0.2745 mm

**Pixel Per Inch**

93

**Brightness**

350 cd/m²

**Contrast Ratio**

1000:1 / 1000:1 (dynamic)

**Color Support**

16.7 million colors

**Response Time**

1 ms (gray-to-gray)

**Horizontal Viewing Angle**

178

**Vertical Viewing Angle**

178

**Screen Coating**

Anti-glare 3H hardness

**Backlight Technology**

LED backlight

**Features**

LED edgelight system, 99% sRGB color gamut

**Dimensions (WxDxH)**

21.2 in x 7.5 in x 13.8 in - with stand (lowest position)

# Connectivity

---

**Interfaces**

- 2 x HDMI
- DisplayPort 1.2
- Audio line-out

**Mechanical**

---

**Display Position Adjustments**

Height, tilt

**Tilt Angle**

-5/+21

**Height Adjustment**

3.9 in

**VESA Mounting Interface**

100 x 100 mm

**Miscellaneous**

---

**Features**

Security lock slot (cable lock sold separately), VESA interface support

**Cables Included**

- 1 x DisplayPort cable - DisplayPort to DisplayPort
- 1 x HDMI cable

**Power**

---

**Input Voltage**

AC 100-240 V (50/60 Hz)

**Power Consumption (On mode)**

14.6 W

**Power Consumption (Typical)**

40 Watt

**Power Consumption Stand by**

0.2 Watt

**Power Consumption (Off Mode)**

0.2 Watt

**On / Off Switch**

Yes

**Dimensions & Weight**

---

**Dimensions & Weight Details**

- With stand (highest position) - width: 21.2 in - depth: 7.5 in - height: 17.8 in
- Without stand - width: 21.2 in - depth: 2.6 in - height: 12.7 in - weight: 7.7 lbs

## Dimensions & Weight (Shipping)

---

### Shipping Weight

16.64 lbs

## Manufacturer Warranty

---

### Service & Support

- response time: next business day

### Bundled Services

3-Year Advanced Exchange Service and Premium Panel Exchange

## Environmental Parameters

---

### Min Operating Temperature

32 °F

### Max Operating Temperature

104 °F

### Humidity Range Operating

10 - 80% (non-condensing)