



## DELL P2421D 60.5 cm (23.8") 2560 x 1440 pixels Quad HD LCD Black

**Brand :** DELL

**Product code:** DELL-P2421D

**Product name :** P2421D

- 61cm (24") Quad HD 2560 x 1440 LED IPS  
 - 8ms, 16:9, 300cd/m<sup>2</sup>, 1000:1  
 - USB, HDMI, DisplayPort  
 61cm (24") Quad HD 2560 x 1440 LED IPS, 16:9, 300cd/m<sup>2</sup>, 16.78M, 8ms, 178°/178°, 1000:1

DELL P2421D 60.5 cm (23.8") 2560 x 1440 pixels Quad HD LCD Black:

See more and do more with a 23.8" QHD monitor that expands your workspace and gives you a better view of all of your important tasks.  
 DELL P2421D. Display diagonal: 60.5 cm (23.8"), Display resolution: 2560 x 1440 pixels, HD type: Quad HD, Display technology: LCD, Response time: 8 ms, Native aspect ratio: 16:9, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. Built-in USB hub, USB hub version: 2.0 / 3.2 Gen 1 (3.1 Gen 1). VESA mounting, Height adjustment. Product colour: Black



Display		Ergonomics	
Display diagonal *	60.5 cm (23.8")	VESA mounting *	✓
Display brightness (typical)	300 cd/m <sup>2</sup>	Height adjustment *	✓
Display resolution *	2560 x 1440 pixels	Height adjustment	13 cm
Native aspect ratio *	16:9	Pivot	✓
Response time	8 ms	Pivot angle	-90 - 90°
HD type *	Quad HD	Swivelling	✓
Display technology *	LCD	Swivel angle range	-45 - 45°
Backlight type	LED	Tiltable	✓
Screen shape *	Flat	Tilt angle	-5 - 21°
Supported graphics resolutions	2560 x 1440	Energy Management	
Supported video modes	480i,480p,576i,576p,720p,1080i,1080p,1440p	Energy efficiency class (SDR) *	E
Aspect ratio	16:9	Energy consumption (SDR) per 1000 hours *	17 kWh
Contrast ratio (typical) *	1000:1	Power consumption *	16.9 W
Maximum refresh rate *	60 Hz	Power consumption (standby) *	0.2 W
Viewing angle, horizontal	178°	Power consumption (max)	55 W
Viewing angle, vertical	178°	Power consumption (off)	0.2 W
Display number of colors *	16.78 million colours	AC input voltage	120 - 230 V
3D compatibility	✗	AC input frequency	50/60 Hz
Panel type *	IPS	Input current	1.6 A
Response time (fast)	5 ms	Energy efficiency scale	A to G
Pixel pitch	0.2058 x 0.2058 mm	Operational Conditions	
Pixel density	123 ppi	Operating temperature range (T-T)	0 - 40 °C
Display scan frequency (horizontal)	29 - 113 kHz	Storage temperature range (T-T)	-20 - 60 °C
Vertical scan range	49 - 75 Hz	Operating relative humidity range	10 - 90%
Viewable size, horizontal	52.7 cm	Storage relative humidity range	10 - 90%
Viewable size, vertical	29.6 cm	Operating altitude	0 - 5000 m
Viewable size diagonal	60.5 cm	Non-operating altitude	5000 - 12192 m
RGB colour space	sRGB		
sRGB coverage (typical)	99%		
Performance			
NVIDIA G-SYNC *	✗		
AMD FreeSync *	✗		

Multimedia		Sustainability	
Built-in speakers *	✘	Sustainability certificates	RoHS, ENERGY STAR
Built-in camera *	✘	Doesn't contain	PVC
Design		Weight & Dimensions	
Market positioning *	Business	Width (with stand)	537.8 mm
Product colour *	Black	Depth (with stand)	166 mm
Ports & interfaces		Height (with stand)	356.1 mm
Built-in USB hub *	✓	Width (without stand)	53.8 cm
USB hub version	2.0 / 3.2 Gen 1 (3.1 Gen 1)	Depth (without stand)	16.6 cm
Number of upstream ports	1	Height (without stand)	32.2 cm
USB Type-A downstream ports quantity	4	Weight (without stand)	3.37 kg
DVI port	✘	Bezel width (side)	5.5 mm
HDMI *	✓	Bezel width (top)	5.4 mm
HDMI ports quantity	1	Bezel width (bottom)	2.03 cm
DisplayPorts quantity	1	Packaging Data	
DisplayPort version	1.2	Stand included	✓
Audio input	✘	Cables included	DisplayPort,USB
Headphone out *	✘	Package width	165.1 mm
HDCP	✓	Package depth	618 mm
Ergonomics		Package height	393.9 mm
VESA mounting interfaces	100 x 100 mm	Package weight	7.29 kg
Cable lock slot *	✓	Other features	
		Rotating	✓
		TV tuner integrated	✘



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.