

series | 6, built-in fridge freezer,
88 x 56 cm
KIL22ADD0



The refrigerator with VitaFresh plus box and TouchControl: keeps your fruit and vegetables fresh for up to twice as long, rich in vitamins.

- **VitaFresh:**The temperature and humidity in the VitaFresh drawer can be ideally adjusted to keep fruit and vegetables fresh for longer.
- **LED lighting:**uniform and glare-free illumination of the cold room, with a long service life.
- **VarioShelf:**Space for bottles and bowls thanks to the glass plate that can be divided and slid under.
- **super cool:**cools newly inserted food faster and thus offers protection for food that has already been cooled.

Technical specifications

Energy efficiency class:	D
Average energy consumption in kilowatt hours per year (kWh/a) (EU 2017/1369):	115
Sum of the volume of the freezer compartments (EU 2017/1369):	15
Sum of the volume of the cold storage compartments (EU 2017/1369):	109
Airborne noise emissions (EU 2017/1369):	34
Airborne noise emission class (EU 2017/1369):	B
Design:	Built-in
Decorative frame/plate:	Possible with accessories
Height (mm):	874
Device width (mm):	558
Device depth (mm):	545
Niche dimensions (H x W x D) (mm):	880x560x550
Net weight (kg):	37,897
Connection value (W):	90
Fuse (A):	10
door stop:	changeable on the right
Voltage (V):	220-240
Frequency (Hz):	50
Approval certificates: Length of connection cable (cm):	Storage in the event of a power failure (h):
Number of compressors:	1
Number of independent cooling circuits:	1
Internal fans:	no
Hinges changeable:	Yes
Number of adjustable shelves-cooling section (pcs):	2
Bottle racks:	no
EAN Code:	4242005224418
Brand:	Bosch
International order designation:	KIL22ADD0
Product category:	refrigerator
Frost Free System:	no
Type of installation:	Fully integrable

Integrated accessories

2 x Egg Tray
1 * Ice Cube Tray

special accessories

KFZ20AX0 : Door front with aluminum decorative frame
KFZ20SX0 : Stainless steel door front
KSZ10020 : Bottle Rack

!2E20AF-cceeb

**series | 6, built-in fridge freezer,
88 x 56 cm
KIL22ADD0**

The refrigerator with VitaFresh plus box and TouchControl: keeps your fruit and vegetables fresh for up to twice as long, rich in vitamins.

- KIL22ADD0
- SmartCool
- Flat hinge, professional door damping
- Easy installation

performance and consumption

- Energy efficiency class: D
- Total usable capacity: 124 l
- Useful volume of cooling compartments: 109 l
- Useful capacity freezer compartments: 15 l
- Freezing capacity in 24 hours: 3.4 kg
- Energy consumption / year: 115 kWh/a
- Climate class: SN-ST
- Super Freeze: yes
- Noise efficiency class / noise value: B / 34 dB
- Temperature rise time : 10 hours

design

- LED lighting

comfort and safety

- TouchControl - Electronic temperature control, precisely digitally readable
- FreshSense - Constant temperature through intelligent sensor technology
- Automatic defrosting
- Audible door alarm

cooling part

- 3 shelves made of safety glass (2 height-adjustable), of which can be divided with parking space in the device
- 3 door racks, including 1 butter/cheese compartment

freshness system

- VitaFresh plus: keeps fresh food fresh up to twice as long

freezer compartment

- 1 freezer compartment with flap
- Pizza-sized freezer

Dimensions

- Device dimensions (H x W x D): 87.4 cm x 55.8 cm x 54.5 cm
- Niche dimensions (H x W x D): 88.0 cm x 56.0 cm x 55.0 cm


Technical information

- Door hinge on the right, changeable
- Connection value: Connection value: 90 W
- 220 - 240V


accessories

- 2 x egg tray, 1 x ice cube tray
- bottle comb


**series | 6, built-in fridge freezer,
88 x 56 cm
KIL22ADD0**



Maße in mm




Maße in mm




Maße in mm

Maße in mm
Empfehlung Spaltmaße für Flachscharnier



F	R	X
16-19	0-3	2,5
20	0-1	3
	2-3	2,5
21	0-1	3
	2-3	2,5
22	0	4
	1	3,5
	2-3	3

Die in der Tabelle empfohlenen Spaltmasse sind einzuhalten, um eine kollisionsfreie Öffnung der Gerätetüre zu gewährleisten und Beschädigungen am Küchenmöbel zu vermeiden.



Maximal zulässiges Gewicht der Möbelfronten
Montierte Möbelfronten, die das zulässige Gewicht überschreiten, können zu Beschädigungen und zu Funktionsbeeinträchtigung am Scharnier führen

A Gewicht
A Gerätetürhöhe inklusiv Scharniere in mm
B Ungedämpftes Scharnier, Möbelfront in kg
C Gedämpftes Scharnier, Möbelfront in kg

A	B	C
1500-1750	22	22
720-1400	19	19
A1	15	19
A2	15	19