

PRODUCT DATA SHEET SMART+ WIFI ORBIS WAVE IP44 300mm

SMART+ WIFI ORBIS WALL WAVE | Smart bathroom decorative ceiling and wall with WiFi technology IP44 TW and dimmable



application areas

ÿ bathroom

product benefits

- ÿ Easy and quick installation
- ÿ Steerable

product properties

- ÿ Degree of protection: IP44
- ÿ Controllable via LEDVANCE SMART+ WiFi app (with at least Android™ 4.4 or iOS 9.0)
- $\ddot{\text{y}}$ Can be controlled via Google Assistant or Amazon Alexa $\ddot{\text{y}}$ Color temperature
- adjustable via tunable white: 3,000...6,500 K $\,$
- ÿ Dimmable
- ÿ Network protocol: WiFi



TECHNICAL SPECIFICATIONS

electrical data

rated capacity	26.00 W
nominal voltage	220240V
rated current	114mA
mains frequency	5060Hz
Mains power factor ÿ	> 0.90
operating mode	External LED driver

photometric data

Light color (designation)	Tunable White
Standard deviation of the color balance	< 6 sdcm
rated luminous flux	2800 lm
Luminous flux	2800 lm
light output	50lm/W
color temperature	30006500K
Color rendering index Ra	80

Photometric data

beam angle	110 degrees
start time	< 0.5s

Mass weight

product weight	2100.00g
length	300.00mm
Broad	300.00mm
Height	93.00mm

lifespan

number of switching cycles	15000
rated life	30000h

colors & materials

product color	Silver
case color	Silver
housing material	Polymethyl methacrylate (PMMA)
material cover	Polycarbonate (PC)

Temperatures & operating conditions

Additional product data

mounting location	ceiling

possible uses

Dimmable	Yes
connection type	screw terminal
Compatible smart home technology	Google Assistant / Amazon Alexa
Replaceable LED module	Not replacable

Certificates & Standards

norms	CE / UKCA
protection class	II .
Degree of protection	IP44

TECHNICAL EQUIPMENT

- ÿ Mounting bracket included
- ÿ Including mounting screws and dowels
- $\ddot{\text{y}}$ Control via app or voice control requires a compatible smart home system
- $\ddot{\text{y}}$ A smartphone or tablet is required for control via the LEDVANCE SMART + WiFi app

DOWNLOADS

	DOWNLOADS
PDF	Userinstructions SMART WIFI ORBIS WAVE TW IP44
PDF	Declarations of Conformity

PACKAGING INFORMATION

EAN	Packaging unit (pieces per unit)	Dimensions (length x width x height)	gross weight	volume
4058075573901	folding box 1	117mm x 362mm x 362mm	2506.00 g	15.33 dm³
4058075573918	shipping box	480mm x 378mm x 380mm	11154.00 g	68.95 dm³

The product numbers mentioned describe the smallest quantity unit that can be ordered. A shipping unit can contain several individual products. Please use the single or multiple of a shipping unit as the order quantity.

Disclaimer

Changes and errors excepted. Make sure you're always using the latest version.