BOSCH SGI2ITS33E

Technical data

General

Design
Installation
Device type
Partially integrable
Device color
Stainless steel
Aperture color
Black
Removable worktop
-
Decorative frame / plate
Not possible
Adjustable base
Horizontal and vertical
Energy efficiency class
E
Cleaning performance index
1.121
Drying performance index
1,061
Airborne noise emissions
48 dB
Airborne noise emission class
C
Energy efficiency index
56
Water consumption
10.5 l
Program duration
4:30 h
Energy consumption of the eco program per 100 operating cycles
92 kWh
Number of place settings
12
Power consumption in standby mode
0.50 W
Programs
Auto 45-65 ° C, Eco, Intensive, Quick L
Other operating options
Extra drying, machine care
Premium protection aquaStop with guarantee
+
Type of drying
Own heat
3rd. Load level
Without
Height adjustable upper basket
-

Additional parts
Steam protection sheet
Dimensions
Dimensions of the device
815 x 598 x 573 mm
Depth with the door open (90 °)
1,150 mm
Maximum niche height
875 mm
Minimum niche width
600 mm
Maximum niche width
600 mm
Niche depth
550 mm
Height of the worktop
0 mm
Net weight
32.370 kg
Comfort
Program flow display
Remaining time display at the front, water inlet
Open assist
-
Time Light
-
sideLight
-
Emotionlight
-
emotionlight pro
-
Rinsing technology and sensors
Raw water valve
-
Aqua and loading sensor
+
Water management system
-
Automatic cleaner
+
Networking
Home Connect
-
Security
Premium protection aquaStop with guarantee
+
Childcare facilities
Key lock