Quick Specs

Device Type
LED-backlit LCD monitor - 24"

Energy Class
Class D

Energy Consumption per Year
48.02 kWh

Power Consumption (On mode)
14.5 W

Features
USB 3.2 Gen 1/USB-C hub, USB PD 65 Watt

Panel Type
IPS

Aspect Ratio
16:9

Native Resolution
Full HD (1080p) 1920 x 1080 at 60 Hz

Pixel Pitch
0.2745 mm

Brightness
250 cd/m²

Contrast Ratio
1000:1

Response Time
8 ms (grey-to-grey normal); 5 ms (grey-to-grey fast)

Colour Support
16.7 million colours

Input Connectors
HDMI, DisplayPort, USB-C

Screen Coating
Anti-glare

Voltage
AC 100-240 V (50/60 Hz)

Weight
3.81 kg

Environmental Standards
ENERGY STAR Qualified

Compliant Standards
RoHS, DisplayPort 1.2, BFR-free, HDCP 1.4, PVC-free

Bundled Services
3 years Advanced Exchange Service and Limited Hardware Warranty

General

Display Type
LED-backlit LCD monitor / TFT active matrix

Energy Class
Class D

Energy Consumption per Year
48.02 kWh

Diagonal Size
24"

Viewable Size
23.8"

Built-in Devices
USB 3.2 Gen 1/USB-C hub

USB Power Delivery
65 Watt

Panel Type
IPS

Aspect Ratio
16:9

Native Resolution
Full HD (1080p) 1920 x 1080 at 60 Hz

Pixel Pitch
0.2745 mm

Pixel Per Inch
93

Brightness
250 cd/m²

Contrast Ratio
1000:1

Colour Support
16.7 million colours

Response Time
8 ms (grey-to-grey normal); 5 ms (grey-to-grey fast)

Horizontal Viewing Angle
178

Vertical Viewing Angle
178

Screen Coating
Anti-glare

Backlight Technology
WLED

Features
99% sRGB colour gamut, Flicker Free technology, Mercury free, arsenic-free glass, 3-sided bezeless, Dell ComfortView Plus

Weight
3.81 kg

Connectivity

Interfaces

- DisplayPort (DisplayPort 1.2 mode, HDCP 1.4)
- DisplayPort output (MST)
- HDMI (HDCP 1.4)
- USB-C 3.1 Gen 1 upstream/DisplayPort 1.2 with Power Delivery (power up to 65W)
- 4 x USB 3.2 Gen 1 downstream
- Network (RJ-45)

Mechanical

VESA Mounting Interface
100 x 100 mm

Miscellaneous

Features
Security lock slot (cable lock sold separately), VESA interface support

Included Accessories
Cable tie

Cables Included

- 1 x DisplayPort cable - DisplayPort to DisplayPort - 1.8 m
- 1 x USB-C cable - 1.8 m

Compliant Standards
RoHS, DisplayPort 1.2, BFR-free, HDCP 1.4, PVC-free

Power

Input Voltage
AC 100-240 V (50/60 Hz)

Power Consumption (On mode)
14.5 W

Power Consumption (Max)
118 Watt

Power Consumption Stand by
0.3 Watt

Power Consumption Sleep
0.3 Watt

Power Consumption (Off Mode)
0.2 Watt

Software / System Requirements

Included Software
Dell Display Manager

Dimensions & Weight (Shipping)

Shipping Weight
6.62 kg

Environmental Standards

ENERGY STAR Certified
Yes

Manufacturer Warranty

Bundled Services
3 years Advanced Exchange Service and Limited Hardware Warranty