

PRODUCT FICHE

gorenje



Combined cooker 728319 K634WF

USP :

SilverMatte

Enamel quality and type are exceptionally important for the cooker and its operation. SilverMatte is a highly resistant and strong material that can stand extreme heats. Free from micro pores, it coats oven cavity surfaces and baking trays, making them resistant to the highest temperatures. The coating of the interior supports heat reflection and provides additional insulation. Therefore, the oven interior always stays sterile and safe.

Door type	Double glazed oven door with one heat deflector (CompactDoor)
GentleClose door hinge	Only a soft touch is needed to close the cooker door smoothly, without any noise.
Oven type	Multisystem oven BigSpace - 71 l SuperSize baking area
Maximum oven temperature	275 °C
HomeMade Plus shape	The oven, now even more spacious, features an oval shape that successfully mimics the traditional wood-fired ovens. This allows optimum circulation of air that completely embraces the food to make it tender and juicy on the inside and amazingly crunchy on the outside. The air is even better distributed throughout the 71-litre cavity with recessed sides, which decreases the occurrence of cool spots that preclude even browning. Special air circulation dynamics affords excellent conditions for professional cooking on a single rack or on several racks simultaneously.
WarmPlate	Warmed plates prevent the loss of flavour and ensure that food tastes every bit as good as it should: from soups to pastas and steamed vegetables. WarmPlate will keep your crockery at precisely the right temperature at 60°C. Enjoy professional service in the privacy of your home.
Large infra heater	✓
Interior light	Illumination
PerfectGrill	The best baking results are achieved with a combination of larger and smaller heaters, where the latter is positioned inside the larger one. The smart positioning of the heaters allows optimal heat distribution and provides the ultimate baking results every time, so food is crispy on the outside and soft on the inside. A variable heater combination can use either the inner or outer heater, or both at once.
Product group	Cooker
SimpleOff program timer	✓
Knob shape	Ergonomic knobs
One-hand ignition device for hob	One-hand burner ignition brings extra comfort and easy control to your cooker with gas cooktop. To activate the gas burner simply press the knob down and rotate it to desired level with one hand while your other hand is free. Quick, simple, and efficient.
Cast iron grid	The cast iron grids are extremely stable and resistant even to the highest temperatures.
Pan support cross	✓
Protected gas burners	✓
Guiding of drawer	Classic

AquaClean function

Due to special high-quality enamel, AquaClean function brings even more efficient and user-friendly way of cleaning the oven cavity. All it takes is to pour half a litre of water into a baking tray and turn AquaClean on after each baking. In just 30 minutes, the results are visible on the entire surface and the baking trays. Stains and grease are softened and can be wiped away easily with a soft cloth.

Basic information :

Microwave function	No
Product group	Combined cooker
Brand	Gorenje
Commercial code	K634WF
Internal article number	728319
EAN code	3838782036385
Main colour of the product	BK070; White
Color / Material front	BK070; White / Painted
Construction type	Free-standing
Installation type	Free-standing
Type of control	Mechanical
Oven controls	K36A - Fan oven with grill
Cooking method	N/A
Total number of positions that can be used at the same time	4
Number of gas burners	4
Number of electric cooking zones	0
Number of electric plates	0
Number of radiant plates	0
Number of halogenous plates	0
Number of induction plates	0
Number of electric warming zones	0
Location of control panel	Cooker front
Which kind of hobs can be controlled	Gas
Energy input	Combined
Gas type	G20/20 natural gas
Gas connection rating	7800 W
Electric connection rating	2700 W
Current	N/A
Voltage	220-240 V
Frequency	50/60 Hz
Marks of conformity	CE101521,EAC,UA012S,UATR01221
Plug type	Schuko, supply cord 3 x 1
Adjustable feet	Yes - all
Height of the product	850 mm
Width of the product	600 mm
Depth of the product	600 mm
Height of the packed product	960 mm
Width of the packed product	676 mm
Depth of the packed product	719 mm
Min height of installation niche	0 mm
Max height of installation niche	0 mm
Min width of installation niche	0 mm
Max width of installation niche	0 mm
Depth of installation niche	0 mm
Net weight	50,4 Kg
Gross weight	55,4 Kg
Material of external sides	Steel

Features :

Electronic timer	Yes
Short description of the product	FM6A3E-GPA4B - K634WF - ADVANCE
Control panel material	Painted
Oven guides	Wire type 1x
Grids	1
Temperature control	N/A
Time control	Electronic
Time-setting options	Start and stop
Oven pans	2
Automatic programmes	N/A
Integrated cleaning system	Easy to clean enamel
Location of 1st heating element	Front left
Type of 1st heating element	Spare burner
Dimension of 1st heating element	54 mm
Power of 1st heating element	1000/0,0/0,0 W
Location of 2nd heating element	Rear left

Type of 2nd heating element	Standard burner
Dimension of 2nd heating element	74 mm
Power of 2nd heating element	1900/0,0/0,0 W
Location of 3rd heating element	Rear right
Type of 3rd heating element	Standard burner
Dimension of 3rd heating element	74 mm
Power of 3rd heating element	1900/0,0/0,0 W
Location of 4th heating element	Front right
Type of 4th heating element	Large burner
Dimension of 4th heating element	99 mm
Power of 4th heating element	3000/0,0/0,0 W
Power ON indicator	/
Plate ON indicator	/
Type of lid	Glass
Type of pan support	Cast iron
Type of safety device for gas	Electromagnetic valve
Ignition system	Yes
Residual heat indicator	Without
Main on/off switch	No
Safety device	Thermo electric oven protection
Timer	Electronic programing timer with sensor control IconLed
Control panel information	Icon led display
Cavity material	N/A
Oven lighting	Yes
Position of interior lights	Rear
Grill motor with rotisserie set	No
Meat probe	N/A
Storage compartment	Pull-out drawer
Additional equipment included	Deep baking pan - 1 Baking tray EM - 1 Gas nozzles G30/30 liquid gas Oven grid - 1

Energy label information / Performance :

Energy efficiency class - NEW (2010/30/EC)	A
The power consumption in off-mode	1,0 W
Energy consumption per cycle conventional (2010/30/ES)	0,94
Energy consumption gas oven per cycle conventional (2010/30/ES)	0,0
Energy consumption per cycle forced air convection (2010/30/ES)	0,81
Usable volume of cavity (2010/30/ES)	71
Number of cavities - NEW (2010/30/EC)	1
Energy consumption forced air convection	0,0
Energy efficiency index (2010/30/EC)	95,3
Energy consumption conventional (kWh)	0,94 kWh
Energy consumption forced air convection (kWh)	0,81 kWh
Noise	46 db(A) re 1pW
Product size	Large