

## Vivenis

### Single lever shower mixer for exposed installation

Surfaces: **Chrome** Article Number: **75620000**



#### Description

##### product features

- 1 function
- connection type: s-shaped connections
- centre distance:  $150 \pm 12$  mm
- maximum flow rate at 3 bar: 12,3 l/min
- ceramic cartridge
- min. operating pressure: 1 bar
- max. operating pressure: 10 bar
- temperature limitation adjustable
- non-return valve
- with silencer
- hose connection DN15
- connection dimension: DN15

#### Design awards




reddot winner 2021


#### Product image



#### Scale drawing



#### Flowchart




**Vivenis**  
**Single lever shower mixer for exposed installation**  
 Surfaces: **Chrome** Article Number: **75620000**



## Exploded Drawing

Year of production: >06/21



**Vivenis****Single lever shower mixer for exposed installation**Surfaces: **Chrome** Article Number: **75620000****Spare part list**

Year of production: &gt;06/21

| Pos. | Description                    | Article Number | Price | PU |
|------|--------------------------------|----------------|-------|----|
| 1    | handle                         | 94375000       | -     | 1  |
| 2    | hollow set screw M5x5          | 98446000       | -     | 1  |
| 3    | flange                         | 94370000       | -     | 1  |
| 4    | nut                            | 93995000       | -     | 1  |
| 5    | cartridge, assy                | 93895000       | -     | 1  |
| 6    | screw                          | 94366000       | -     | 1  |
| 7    | Hose Connection                | 96044000       | -     | 1  |
| 8    | O-ring 14x2                    | 98129000       | -     | 1  |
| 9    | set of non return valves DW 15 | 94074000       | -     | 1  |
| 10   | escutcheon Ø 70 mm             | 94365000       | -     | 1  |
| 11   | set of S-unions                | 95772000       | -     | 1  |
| 12   | O-ring 29x3                    | 98371000       | -     | 1  |