DELL UltraSharp UP3017 LED display 76.2 cm (30") 2560 x 1600 pixels WQXGA LCD Black



Brand : DELL **Product family:** UltraSharp **Product code:** UP3017

Product name : UP3017

30" (2560 x 1600, LED, IPS), 16:10, 178° / 178°, 1000:1, 350 cd/m2, 8 ms, 2 x DisplayPort, 1 x mini-DisplayPort, 2 x HDMI, 5 x USB 3.0 (1 x Upstream), 6.49 kg
DELL UltraSharp UP3017. Display diagonal: 76.2 cm (30"), Display resolution: 2560 x 1600 pixels, HD type: WQXGA, Display technology: LCD, Response time: 8 ms, Native aspect ratio: 16:10, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. Built-in USB hub, USB hub version: 3.2 Gen 1 (3.1 Gen 1). VESA mounting, Height adjustment. Product colour: Black





Display	
Display diagonal *	76.2 cm (30")
Display brightness (typical)	350 cd/m²
Display resolution *	2560 x 1600 pixels
Native aspect ratio *	16:10
Response time	8 ms
HD type *	WQXGA
Display technology *	LCD
Backlight type	LED
Screen shape *	Flat
Supported graphics resolutions	2560 x 1600 (WQXGA)
Supported video modes	480i,480p,576i,576p,720p,1080i,1080p
Aspect ratio	16:10
Contrast ratio (typical) *	1000:1
Maximum refresh rate *	60 Hz
Viewing angle, horizontal	178°
Viewing angle, vertical	178°
Display number of colors *	1.073 billion colours
3D compatibility	✗
Panel type *	IPS
SmartResponse	6 ms
Pixel pitch	0.251 x 0.251 mm
Pixel density	101 ppi
Display scan frequency (horizontal)	30 - 113 kHz
Vertical scan range	50 - 86 Hz
Color gamut	99%

Performance	
NVIDIA G-SYNC *	✗
AMD FreeSync *	✗

Ergonomics	
Pivot angle	-90 - 90°
Swivelling	✓
Swivel angle range	-30 - 30°
Tiltable	✓
Tilt angle	-5 - 21°
Plug and Play	✓

Thin Client	
Thin client installed	✗

Energy Management	
Energy efficiency class (SDR) *	G
Energy consumption (SDR) per 1000 hours *	36 kWh
Power consumption *	54 W
Power consumption (standby) *	0.3 W
Power consumption (off)	0.3 W
Power consumption (PowerSave)	38.4 W
AC input voltage	100 - 240 V
AC input frequency	50 - 60 Hz
Input current	1.6 A
Energy efficiency scale	A to G

Operational Conditions	
Operating temperature range (T-T)	0 - 35 °C
Storage temperature range (T-T)	-20 - 60 °C
Operating relative humidity range	10 - 80%
Storage relative humidity range	5 - 90%
Operating altitude	0 - 5000 m
Non-operating altitude	5000 - 12192 m

Multimedia	
Built-in camera *	✗

Design	
Market positioning *	Business
Product colour *	Black
Certification	TCO

Ports & interfaces	
Built-in USB hub *	✓
USB hub version	3.2 Gen 1 (3.1 Gen 1)
Number of upstream ports	1
USB Type-A downstream ports quantity	4
DVI port	✗
HDMI *	✓
HDMI ports quantity	2
DisplayPorts quantity	2
Mini DisplayPort quantity	1
Audio input	✗
Audio output	✓
Headphone out *	✗

Ergonomics	
VESA mounting interfaces	100 x 100 mm
Cable lock slot *	✓
Cable lock slot type	Kensington
VESA mounting *	✓
Height adjustment *	✓
Height adjustment	15 cm
Pivot	✓

Sustainability	
Sustainability certificates	RoHS, EPEAT Gold, ENERGY STAR
Doesn't contain	BRF, PVC

Weight & Dimensions	
Width (with stand)	686.9 mm
Depth (with stand)	217 mm
Height (with stand)	632.3 mm
Weight (with stand)	9.59 kg
Width (without stand)	68.7 cm
Depth (without stand)	5.8 cm
Height (without stand)	44.7 cm
Weight (without stand)	6.49 kg
Bezel width (top)	2.27 cm
Bezel width (bottom)	2.35 cm

Packaging Data	
Stand included	✓
Cables included	AC, DisplayPort, USB
Quick start guide	✓
Package width	528.1 mm
Package depth	773.9 mm
Package height	190 mm
Package weight	13.1 kg

Other features	
AC adapter bundled	✓
TV tuner integrated	✗
Active display area (W x H)	641.3 x 400.8 mm



884116234050







Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 15-FEB-2022. Prints or copies of Information are only valid on the printed Publication date