

Screen Size

28"

Maximum Resolution

(4K UHD)3840 x 2160@60 Hz

Aspect Ratio

16:9

Contrast Ratio

1,000:1

Response Time

4 ms

Colour Supported

1.07 Billion

Adaptive Contrast Management (ACM)

100,000,000:1

Brightness

300 cd/m²

Backlight

LED

Viewing Angles

178° Horizontal

178° Vertical

Panel Type

IPS (In-plane Switching)

Stand

Tilt (-5°~35°)

Height adj (180 mm)

Speakers

2 x 2 W

Ports & Connectors

HDMI®

2x HDMI®-in

1x DisplayPort

Headphone

Power

500 mW (Power Standby)

350 mW (Power Off)

55 W (Power Max)

31 W (Power On)

Environmental Certification

TCO Certified

Colours

Black, Silver

Tearing Prevention Technology

AMD Free-Sync

VESA Compatible

(Yes)

100 x 100mm

Dimensions (W x H x D)

637 mm x 371 mm x 68 mm

637 mm x 617 mm x 269 mm (with stand)

Weight (Approximate)

5.19 kg

7.25 kg (with stand)

Package Contents

- 1 x CB282K Widescreen LCD Monitor
- 1 x HDMI Cable
- 2 x Power Cord (EURO/UK)

Features

HDR10