



T5EP

3K/5MP QHD PoE CAMERA

with sound and light alarm

Suitable for Various Installation Environments

3K

5.0 Megapixel



Vehicle Detection



AI Human Detection



Spotlight



Two-way Audio

PoE

Power over Ethernet



Night Vision



Weatherproof



Alexa & Google Home



Micro SD Card & Cloud



Sound and Light Alarm

Once an intruder is detected, the camera's spotlight and siren will be triggered to warn potential criminals. You can also manually activate the spotlight to stop crimes before they happen .

- 3K/5MP QHD Waterproof IP Camera
- Support PoE Function
- Support Full Duplex Two-way Audio
- Night Vision Range up to 20m
- Support WDR (Wide-Dynamic Range)
- H.264+ Video Compression

- Vehicle Detection Alarm via E-Mail and FTP
- Human Detection Alarm via E-Mail and FTP
- P2P Feature for Easy Remote Access
- Support Max. 256G Micro SD Card (External) and Cloud Storage
- Compatible with Free Foscam Video Management System
- Compatible with Free Foscam iOS and Android APP

I Appearance Accessories



I Where it can be used

Home Yard, Front Porch, Driveway, Garden or Other Dark Properties



Specification · Outdoor 5MP PoE IP Camera

Spotlight	Color Temperature	4500K
Image Sensor	Sensor Type	High definition color CMOS Sensor
	Display Resolution	5.0Megapixels(3072*1728)
	Min. Illumination	0 Lux (With IR illuminator)
Lens	Lens Type	f:4mm, F2.1
	Angle of View	Diagonal: 107.9°, Horizontal: 91.6°, Vertical: 49.6°
Video	Image Compression	H.264+ / H.264
	Resolution	5MP(3072*1728) 1.5M/25 fps,1080P(1920*1080)1M/25fps, 720P(1280*720)1M/15fps
	Stream	Dual stream
	Image Adjustment	The hue, brightness, contrast, saturation, sharpness are adjustable
	Flip Image	Flip and mirror
	Night Mode	Manual and automatic modes,when the white light is on, the night vision image is colored
	Night Visibility	With 4pcs spotlight and IR LED, Night vision range up to 20m
Audio	Input/Output	Built-in mic and speaker,support full duplex 2-way audio
	Audio Compression	PCM/AAC
	Siren	Support maximum 100dB alarm siren
Network	Ethernet	One 10/100Mbps RJ45 port
	Remote Access	P2P
	Network Protocol	IP, TCP, UDP, SMTP, FTP, DHCP, RTSP
System Requirements	Operating System	Microsoft windows (Foscam VMS), mac OS (Foscam VMS), android (Foscam app), iOS (Foscam app)
Other Features	Motion Detection	Alarm via E-Mail, upload alarm snapshot to FTP
	Human Detection	Alarm via E-Mail, upload alarm snapshot to FTP
	Vehicle Detection	Alarm via E-Mail, upload alarm snapshot to FTP
	User Accounts	Three levels user role
	WDR	Improve image clarity in complex scenario
	Zoom	6X digital zoom function
	Storage	Support max. 256GB micro SD card, local and FTP storage,Foscam cloud storage
	Intelligent Assistant	Supports Amazon Alexa & Google Home
Power	Power Supply	DC 12V/1.0A(Not included)
	POE Standard	802.3af
	Power Consumption	5 Watts (Max.)
Physical	Dimension(LxWxH)	φ110*100 (H)
	Net Weight	380g
Environment	Waterproof	IP66
	Operating Temperature	-20°C ~ 50°C (-4°F ~ 122°F)
	Operating Humidity	10% ~ 80% non-condensing
	Storage Temperature	-20°C ~ 60°C (-4°F ~ 140°F)
	Storage Humidity	0% ~ 90% non-condensing
Certification	FCC, CE, RoHS, IP66	

* Product specifications are for reference only and could be subject to change without prior notice.

Shenzhen Foscam Intelligent Technology Co., Ltd.

Room 902, Building 1B, Shenzhen International Innovation Valley,
Xingke 1st Street, Nanshan District, Shenzhen, PRC 518055
E-mail: sales@foscam.com Website: www.foscam.com

