

7161548200 (HTV 8716 X0)



Basic Definitions	Marketing Code	HTV 8716 X0
Basic Definitions	Installation Type (WD)	Free-standing
Basic Definitions	Brand Group	KOC Brand
Basic Definitions	Brand	Beko
		Slovakia; Croatia; Romania; Slovenia; Latvia; Lithuania; Estonia; Czech Republic; Albania; Kosovo; Macedonia; Montenegro; Bosnia And Herzegovina; Serbia; Denmark; Finland; Norway; Sweden
Basic Definitions	Country	Sweden
Basic Definitions	Pool Name (WM)	EU_2021
Basic Definitions	Reference Variant Number	-
Basic Definitions	SAP Code	7161548200
Basic Definitions	Production Plant	TR, IST, WM Plant
Basic Definitions	NPI Project Definition (WD)	C7S
	Standard of Drying Performance (WD)	EN 50229 :2015
Basic Definitions	EAN Category	HE
Basic Definitions	EAN Code	8690842361180
Basic Definitions	Standard of Washing Performance (WD)	EN 60456 :2016
		Marketing Code + SKU number
Basic Definitions	Model Identifier for EPREL (EP)	
Basic Definitions	Product Status	DV
Basic Definitions	Voice-Control	
		Laundry > Washer Dryer > Water condensed
Basic Definitions	Product Group	
Basic Definitions	Replaced Product SAP Code	
	Printed Product Info Sheet Requested (EU_2021)	
Basic Definitions	Frequency (Hz) definition for model code	5
Basic Definitions	Voltage (v)	230
	Voltage (v) definition for model code	2
Basic Definitions	Frequency (Hz)	50
Basic Definitions	Plug Type	European
Basic Definitions	Manufacturer Production Code	
Basic Definitions	Old Material Number	7161544900
Basic Definitions	Customer Code	

Basic Definitions	Transfer Price Request ID	
Basic Definitions	PM User Name	Gülhan Eylem Gözlükaya
Basic Definitions	Created By	Gülhan Eylem Gözlükaya
Basic Definitions	Create Date	12/11/2019 12:45:26
Basic Definitions	Other Descriptions / Revision Reason	Rev: Add Nordic countries, UM`s and sticked inlays
Basic Definitions	Other Explanations	Model numarası 1131
		14.09.2021 Tarihinde Country tanımına Denmark; Finland; Norway; Sweden eklendi.Sticked Inlay Languages tanımına Danish;Finnish;Norwegian;Swedish eklendi.User Manual Languages (Hardcopy) tanımına Danish; Finnish; Norwegian; Swedish eklendi.Warranty Information - Language tanımına Danish; Finnish; Norwegian; Swedish eklendi.REvizyon geçerlilik tarihi 30.09.2021 dir.
Basic Definitions	Estimated Revision Effectivity Date & Plant Comment	
Basic Definitions	Inactivation Status	
Basic Definitions	Connectivity	BLE
Basic Definitions	Production Location	
Basic Definitions	Construction Type (EP)	Free-Standing
Basic Definitions	Configuration Context Id	CC-10000001
		WWF0851454E50BX22 B12521DR05F00C01H 00000
Basic Definitions	NPI Model Version Description	
Basic Definitions	Pre SAP Code	New Item(A30189)
Basic Definitions	Product Series	b300
		HTV 8716 X0
Basic Definitions	Model Identifier Definition (EPREL)	7161548200
Basic Definitions	Base Model Registration ID (EU_2021_EP)	258218
Basic Definitions	Eprel Registration Type	
Basic Definitions	Eprel Registration ID (EU_2010/2013)	416640
Basic Definitions	Eprel Registration ID (EU_2021)	298382
Basic Definitions	Complete Eprel Registration (EU_2021)	Yes
Basic Definitions	Supplier's Address	Arctic S.A Gaesti, Dambovita, 13 Decembrie Street, No 210, Romania

Basic Definitions	Weblink for PIS EU 2021	http://support.beko.com
Characteristics	Sticked Inlay Supply	NA
Characteristics	Washing Capacity (kg) (EP)	8.0
Characteristics	Drying Capacity (kg) (EP)	5.0
Characteristics	Fascia (WD)	WWD BX2
Characteristics	User Interface (WD)	C7S
Characteristics	Program Knob Type (WD)	NA
Characteristics	Cabinet (WD)	U54
Characteristics	Led/Display Color (WD)	White
Characteristics	Number of Programs (WD)	15
Characteristics	Maximum Spin Speed (rpm) (WD) (EP)	1400
Characteristics	Panel Printing (WD)	Text+Symbol
Characteristics	Panel Printing Language (WD)	English
Characteristics	Door Type (WD)	WWD BX
Characteristics	Door Handle Type (WD)	WWD BX
Characteristics	Energy Regulation Type (WD)	EU_2021
Characteristics	Motor Type	Brushless
Characteristics	Display Languages Package	NA
Characteristics	Sticked Inlay Languages	Danish;Finnish;Norwegian;Swedish
Characteristics	Addgarment	Yes
Characteristics	Door Technology	Instant Opening
Characteristics	Capacity (cu-ft)	NA
Characteristics	Automatic Type	Fully Automatic
Characteristics	Centrifuge (Spin) Drying	Yes
Characteristics	Door Type for model code	XL
Programs	Special Case for Programs	YP18-EU21
Programs	Program -1	Cottons
Programs	Program -2	Eco 40-60
Programs	Program -3	Synthetics
Programs	Program -4	Wool/HandWash
Programs	Program -5	Mini/Mini14'
Programs	Program -6	DownWear
Programs	Program -7	Download Cycle
Programs	Program -8	Spin + Drain
Programs	Program -9	Rinse
Programs	Program -10	Shirts
Programs	Program -11	Cotton Dry
Programs	Program -12	Synthetic Dry
Programs	Program -13	Hygiene+ Wash&Dry
Programs	Program -14	5Kg Wash& Dry
Programs	Program -15	Wash&Wear
Programs	Program -16	NA
Programs	Auxiliary Function -1	Prewash
Programs	Auxiliary Function -2	Fast+
Programs	Auxiliary Function -3	Drying
Programs	Auxiliary Function -4	BLE
Programs	Auxiliary Function -5	NA
Programs	Auxiliary Function -6	NA
Programs	Aux_Func_1_3sec(WD)	Drum Clean+
Programs	Aux_Func_2_3sec(WD)	Steam
Programs	Aux_Func_3_3sec(WD)	Child Lock
Programs	Aux_Func_4_3sec(WD)	BLE
Programs	Aux_Func_5_3sec(WD)	NA

Programs	Aux_Func_6_3sec(WD)	NA
Programs	Download Cycle_1(WD)	Mix
Programs	Download Cycle_2(WD)	Outdoor/Sports (Goretex)
Programs	Download Cycle_3(WD)	DarkWash/J Jeans
Programs	Download Cycle_4(WD)	Towel
Programs	Download Cycle_5(WD)	Lingerie
Programs	Download Cycle_6(WD)	NA
Programs	Spin_Func_1_3sec(WD)	Anticrease+
Programs	Program Queue (Follower) Options	Left to Right-DOOR LOCK\PAUSE\PLAYWASH\SPIN\DRYING\ANTICREASE+
Programs	Program Queue (Follower) Type	Led
Programs	YP18	Yes
Performance	Energy Efficiency Class (WD) (EP)	D
Performance	Energy Efficiency Class Washing (WD)	NA
Performance	Energy Efficiency Class Drying (WD)	NA
Performance	Spinning Efficiency Class (WD)	A
Performance	Cleaning Performance	A
Performance	Washing Performance (EP)	A
Performance	Noise Levels- Washing/Spinning/Drying (dB)	56/76/64
Performance	Noise Level Group (WD)	NL1
Performance	Spin Speed Area (WD)	No Spin/Rinse Hold 600/800/1200/1400
Performance	Total (Washing+Drying) Energy Consumption (kWh) (EP)	5.44 kilowatt-hours
Performance	Washing Energy Consumption (kWh) (EP)	0.76 kilowatt-hours
Performance	Washing Water Consumption (only full load washing) (l) (EP)	47 liters
Performance	Water Consumption (full loads washing and drying) (l) (EP)	78 liters
Performance	Water Consumption for Drying (lt)	31 liters
Performance	Total annual energy consumption (200 cycles- full loads washing and drying) (kWh) (EP)	1088.00 kilowatt-hours
Performance	Total annual washing energy consumption (200 cycles- full loads washing only) (kWh) (EP)	152.00 kilowatt-hours
Performance	Total annual washing water consumption (200 cycles- full loads washing only) (l) (EP)	9400.00 liters
Performance	Total annual water consumption (200 cycles- full loads washing and drying) (l) (EP)	15600.00 liters
Performance	Total washing and drying time (full load washing and drying) (min) (EP)	660.00 minutes
Performance	Program time for drying max. capacity cotton	240

Performance	Program time for full load washing (Cotton Eco 60 C) (min)	270 minutes
Performance	Monthly Energy Consumption (kWh) (WD)	0.000
Performance	Annual Drying Energy Consumption (kWh)	0.000 kilowatt-hours
Performance	Annual Washing Energy Consumption (kWh)	0.000 kilowatt-hours
Performance	WELS (WD)	NA
Performance	Remaining Moisture (%) (WD) (EP)	44
Performance	Special Case for Energy (WD)	No
Performance	Specific Motor Type (WD)	Atlas 32mm
Performance	Flowmeter (WD)	No
Performance	Main Wash Water Consumption (l)	0.0 liters
Performance	Rinsing Performance	0.000
Performance	Spining Efficiency Performance (%)	0.000
Performance	Consumer Criteria (WD)	NA
Performance	Energy Efficiency Index (EEI) (WD)	0.000
Performance	Water Consumption(litres/kg)	0.00
Performance	Motor Card Type	Vector Motor Card
Performance	Water Consumption Class (WCC)	NA
Performance	Water Consumption Index (WCI)	0.0
Performance	Annual Energy Consumption (AE_c) (kWh) (EP)	0 kilowatt-hours
Performance	Annual Water Consumption (AW_c) (l) (EP)	0 liters
Performance	Estimated Yearly Operating Cost - when used with a natural gas water heater	NA
Performance	Estimated Yearly Operating Cost - when used with an electric water heater	NA
Performance	Integrated Modified Energy Factor - IMEF (cubic feet per kwh)	NA
Performance	Integrated Water Factor - IWF (galon per cubic feet)	NA
Performance	Noise Level of Drying (dB) (WD) (EP)	64
Performance	Noise Level of Spinning (dB) (WD) (EP)	76
Performance	Noise Level of Washing (dB) (WD) (EP)	56
Performance	Energy efficiency class for model code (WD)	D (EU_2021)
Performance	Control Card Plant	C7S
Performance	Drive Board	NA
Performance	Power Board	NA
Performance	UI Board	NA
Performance_EU2021	Energy Efficiency Class of the wash and dry cycle (EU_2021_EP)	D

Performance_EU2021	Energy Efficiency Class of the eco 40-60 programme on energy label (EU_2021_EP) (WD)	C
Performance_EU2021	Energy Efficiency Index of the wash and dry cycle (EEI_wd) (EU_2021_EP)	66.5
Performance_EU2021	Energy Efficiency Index of the eco 40-60 programme (EEI_w) (EU_2021_EP) (WD)	68.5
Performance_EU2021	Washing Efficiency Index of the eco 40-60 programme (EU_2021_EP) (WD)	1.040
Performance_EU2021	Washing Efficiency Index of the wash and dry cycle (EU_2021_EP)	1.040
Performance_EU2021	Rinsing Effectiveness of the eco 40-60 programme (g/kg) (EU_2021_EP) (WD)	4.9
Performance_EU2021	Rinsing Effectiveness of the wash and dry cycle (g/kg) (EU_2021_EP)	4.9
Performance_EU2021	Weighted energy consumption of the eco 40-60 programme (E_w) (kWh/cycle) (EU_2021_EP) (WD)	0.623 kilowatt-hours
Performance_EU2021	Standard energy consumption of the eco 40-60 programme (SCE_w) (kWh/cycle) (EU_2021_EP) (WD)	0.909 kilowatt-hours
Performance_EU2021	Energy Consumption of the eco 40-60 programme for 100 cycles (E_w)(kWh/100cycles) (EU_2021_EP) (WD)	62 kilowatt-hours
Performance_EU2021	Energy consumption of the eco 40-60 programme at Full Load (E_w,full) (kWh/cycle) (EU_2021_EP) (WD)	0.955 kilowatt-hours
Performance_EU2021	Energy consumption of the eco 40-60 programme at Half Load (E_w,1/2) (kWh/cycle) (EU_2021_EP) (WD)	0.550 kilowatt-hours
Performance_EU2021	Energy consumption of the eco 40-60 programme at Quarter Load (E_w,1/4) (kWh/cycle) (EU_2021_EP) (WD)	0.320 kilowatt-hours
Performance_EU2021	Weighted energy consumption of the wash and dry cycle (E_wd) (kWh/cycle) (EU_2021_EP)	2.641 kilowatt-hours
Performance_EU2021	Standard energy consumption of the wash and dry cycle (SCE_wd) (kWh/cycle) (EU_2021_EP)	3.972 kilowatt-hours
Performance_EU2021	Energy Consumption of the wash and dry cycle for 100 cycles (E_wd)(kWh/100cycles) (EU_2021_EP)	264 kilowatt-hours

Performance_EU2021	Energy consumption of the wash and dry cycle at Full Load (E_wd,full) (kWh/cycle) (EU_2021_EP)	3.215 kilowatt-hours
Performance_EU2021	Energy consumption of the wash and dry cycle at Half Load (E_wd,1/2) (kWh/cycle) (EU_2021_EP)	1.780 kilowatt-hours
Performance_EU2021	Weighted water consumption of the eco 40-60 programme (W_w) (L/cycle) (EU_2021_EP) (WD)	40 liters
Performance_EU2021	Water consumption of the eco 40-60 programme at Full Load (W_w,full) (L/cycle) (EU_2021_EP) (WD)	54.0 liters
Performance_EU2021	Water consumption of the eco 40-60 programme at Half Load (W_w,1/2) (L/cycle) (EU_2021_EP) (WD)	35.0 liters
Performance_EU2021	Water consumption of the eco 40-60 programme at Quarter Load (W_w,1/4) (L/cycle) (EU_2021_EP) (WD)	28.0 liters
Performance_EU2021	Weighted water consumption of the wash and dry cycle (W_wd) (L/cycle) (EU_2021_EP)	53 liters
Performance_EU2021	Water consumption of the wash and dry cycle at Full Load (W_wd,full) (L/cycle) (EU_2021_EP)	61.0 liters
Performance_EU2021	Water consumption of the wash and dry cycle at Half Load (W_wd,1/2) (L/cycle) (EU_2021_EP)	42.0 liters
Performance_EU2021	Programme duration of the eco 40-60 programme at Full Load (t_w,full) (h:min) (EU_2021_EP) (WD)	3:38
Performance_EU2021	Programme duration of the eco 40-60 programme at Half Load (t_w,1/2) (h:min) (EU_2021_EP) (WD)	2:47
Performance_EU2021	Programme duration of the eco 40-60 programme at Quarter Load (t_w,1/4) (h:min) (EU_2021_EP) (WD)	2:47
Performance_EU2021	Cycle duration of the wash and dry cycle at Full Load (t_wd,full) (h:min) (EU_2021_EP)	7:55
Performance_EU2021	Cycle duration of the wash and dry cycle at Half Load (t_wd,1/2) (h:min) (EU_2021_EP)	5:50

Performance_EU2021	Temperature reached for minimum 5 min inside the load during eco 40-60 programme at Full Load (T _{w,full}) (°C) (EU_2021_EP) (WD)	40 Celsius
Performance_EU2021	Temperature reached for minimum 5 min inside the load during eco 40-60 programme at Half Load (T _{w,1/2}) (°C) (EU_2021_EP) (WD)	32 Celsius
Performance_EU2021	Temperature reached for minimum 5 min inside the load during eco 40-60 programme at Quarter Load (T _{w,1/4}) (°C) (EU_2021_EP)(WD)	23 Celsius
Performance_EU2021	Remaining moisture content for the eco 40-60 programme at Full Load (D _{full}) (EU_2021_EP) (WD)	53.0 percent
Performance_EU2021	Remaining moisture content for the eco 40-60 programme at Half Load (D _{1/2}) (EU_2021_EP) (WD)	53.0 percent
Performance_EU2021	Remaining moisture content for the eco 40-60 programme at Quarter Load (D _{1/4}) (EU_2021_EP) (WD)	53.0 percent
Performance_EU2021	Spinning Efficiency Class (EU_2021_EP) (WD)	B
Performance_EU2021	Spin speed in the spinning phase of the eco 40-60 programme at Full Load (S _{,full}) (rpm) (EU_2021_EP) (WD)	1400 revolutions/minute
Performance_EU2021	Spin speed in the spinning phase of the eco 40-60 programme at Half Load (S _{,1/2}) (rpm) (EU_2021_EP) (WD)	1400 revolutions/minute
Performance_EU2021	Spin speed in the spinning phase of the eco 40-60 programme at Quarter Load (S _{,1/4}) (rpm) (EU_2021_EP) (WD)	1400 revolutions/minute
Performance_EU2021	Airborne acoustical noise emissions during eco 40-60 programme (spinning phase) (dB(A) re 1pW) (EU_2021_EP) (WD)	76 dBA
Performance_EU2021	Airborne acoustical noise emission class during eco 40-60 programme (spinning phase) (EU_2021_EP) (WD)	B
Performance_EU2021	Power consumption in "off mode" (P _o) (W) (EU_2021_EP) (WD)	0.50 watts [joules/second]
Performance_EU2021	Power Consumption in "delay start mode" (P _{ds}) (W) (EU_2021_EP) (WD)	4.00 watts [joules/second]
Performance_EU2021	Power consumption in "Standby mode" (P _{sm}) (W) (EU_2021_EP) (WD)	0.50 watts [joules/second]

Performance_EU2021	Power Consumption in "networked standby mode" (P_sm) (W) (EU_2021_EP) (WD)	2.00 watts [joules/second]
Performance_EU2021	Minimum duration of the guarantee offered by the supplier: (EU_2021_EP) (WD)	24 months
Performance_EU2021	This product has been designed to release silver ions during the washing cycle (EU_2021_EP) (WD)	No
Performance_EU2021	Temperature reached for minimum 5 min inside the load in the washing cycle during wash and dry cycle at Full Load (T_wd,full) (°)	25 Celsius
Performance_EU2021	Temperature reached for minimum 5 min inside the load in the washing cycle during wash and dry cycle at Half Load (T_wd,1/2) (°C)	24 Celsius
Performance_EU2021	Does 'standby mode' include the display of information? (EU_2021_EP) (WD)	No
Performance_EU2021	Final moisture content after drying (EU_2021_EP)	0.000 percent
Performance_EU2021	Rinsing Effectiveness of the eco 40-60 programme at Full Load (g/kg) (EU_2021_EP) (WD)	4.9
Performance_EU2021	Rinsing Effectiveness of the eco 40-60 programme at Half Load (g/kg) (EU_2021_EP) (WD)	4.9
Performance_EU2021	Rinsing Effectiveness of the eco 40-60 programme at Quarter Load (g/kg) (EU_2021_EP) (WD)	4.9
Performance_EU2021	Rinsing Effectiveness of the wash and dry cycle at Full Load (g/kg) (EU_2021_EP)	4.9
Performance_EU2021	Rinsing Effectiveness of the wash and dry cycle at Half Load (g/kg) (EU_2021_EP)	4.9
Performance_EU2021	Washing Efficiency Index of the eco 40-60 programme at Full Load (EU_2021_EP) (WD)	1.040
Performance_EU2021	Washing Efficiency Index of the eco 40-60 programme at Half Load (EU_2021_EP) (WD)	1.040
Performance_EU2021	Washing Efficiency Index of the eco 40-60 programme at Quarter Load (EU_2021_EP) (WD)	1.040
Performance_EU2021	Washing Efficiency Index of the wash and dry cycle at Full Load (EU_2021_EP)	1.040
Performance_EU2021	Washing Efficiency Index of the wash and dry cycle at Half Load (EU_2021_EP)	1.040

Performance_EU2021	Weighted remaining moisture content for the eco 40-60 programme (D) (EU_2021_EP)	53.0 percent
Performance_EU2021	Weighted energy consumption per kilogram for the eco 40-60 programme (E_w/kg) (kWh/cycle/kg) (EU_2021_EP)	0.078
Performance_EU2021	Weighted energy consumption per kilogram for the wash and dry cycle (E_wd/kg) (kWh/cycle/kg) (EU_2021_EP)	0.528
Performance_EU2021	Weighting factor for eco 40-60 full,A	0.379
Performance_EU2021	Weighting factor for eco 40-60 half,B	0.271
Performance_EU2021	Weighting factor for eco 40-60 quarter,C	0.350
Performance_EU2021	Scope 3 Annual Energy Consumption (kWh)	
Functions & Features	Child Lock (WD)	Yes
Functions & Features	Water Inlet (WD)	Single (Cold10)
Functions & Features	Direct Jet	No
Functions & Features	Aquaround (WD)	No
Functions & Features	Automatic Water Adjustment System (WD)	Yes
Functions & Features	Automatic Dosing System	No
Functions & Features	Ball system (WD)	Yes
Functions & Features	Load Sensor	No
Functions & Features	Rinse Sensor	No
Functions & Features	Steam (WD)	Steam
Functions & Features	Easy Discharge Hose (WD)	No
Functions & Features	Liquid Detergent Part (WD)	Flap
Functions & Features	Aquasafe	No
Functions & Features	Aquasafe+	No
Functions & Features	Variable Spin Selection (WD)	Yes
Functions & Features	Temperature Selection	Yes
Functions & Features	Valve Flow Rate (WD)	Cold 10
Functions & Features	Electronic Type (WD)	Digital Display
Functions & Features	Time Delay (WD)	0-24 h
Functions & Features	Program Follower (WD)	Yes
Functions & Features	Remain Time Display (WD)	Yes
Functions & Features	Unbalanced Load Control (WD)	Yes
Functions & Features	Door Lock Indicator	Yes
Functions & Features	Other Features	NA
Functions & Features	Built Under Sheet (WD)	No
Functions & Features	Door Opening Angle (WD)	170
Functions & Features	Integrated Sensor	No
Functions & Features	No Water Indicator (WD)	Yes
Functions & Features	Over Flow Safety (WD)	Yes
Functions & Features	Approval Number	NA
Functions & Features	Otto Number (WM)	NA
Functions & Features	Woolmark (WM)	No
Functions & Features	Durable Heater	No
Functions & Features	Water Connection Height	40-100 cm
Functions & Features	Drum Pattern (WD)	Aquawave
Functions & Features	Side Wall Type (WD)	S-Type

Functions & Features	Drum Material	Stainless Steel
Functions & Features	Special Top Plate Request (WD)	No
Functions & Features	Top Plate Type (WD)	B13 54
Functions & Features	Rat Mesh (WD)	No
Functions & Features	Mechanical Child Lock	No
Functions & Features	GMark Number (WD)	NA
Functions & Features	Ionizer(WD)	No
Functions & Features	Adjustable back feet for BI	No
Functions & Features	Led Spot Light	No
Functions & Features	Number of Adjustable Feet (WD)	4
Functions & Features	Filter Cleaning Indicator (WD)	No
Functions & Features	PLU Number & Campaign Date	NA
Functions & Features	Fast_Wash&Dry	No
Functions & Features	Rinse Technology	NA
Functions & Features	Detergent Premix	Yes
Functions & Features	Microfiber	No
Functions & Features	Air refresh(WD)	No
Functions & Features	Autoprogram + Autorinse	No
Functions & Features	Bleach	No
Functions & Features	IronFast	No
Functions & Features	Self Cleaning Detergent Drawer	No
Functions & Features	WaterTouch	No
Functions & Features	WaterTouch+	No
Functions & Features	Water Level (WD)	No
Design & Color specifications	Product Color (WD)	White
Design & Color specifications	Front Door Color (WD)	Anthracite
Design & Color specifications	Front Door Decorative Color (WD)	NA
Design & Color specifications	Door Handle Color (WD)	Anthracite
Design & Color specifications	Protective Cover Color (WD)	Transparent
Design & Color specifications	Program Knob Color (WD)	Piano Black
Design & Color specifications	Program Knob Ring Color	Anthracite
Design & Color specifications	Front Panel Body Color (WD)	White
Design & Color specifications	Front Panel Body Upper Inlay (WD)	NA
Design & Color specifications	Front Panel Body Lower Inlay (WD)	NA
Design & Color specifications	Screen Frame/Inlay Color (WD)	Piano Black
Design & Color specifications	Side Wall Color (WD)	White
Design & Color specifications	Top Plate Frame Color (WD)	White
Design & Color specifications	Top Plate Hardboard Color (WD)	White
Design & Color specifications	Auxiliary Function Button Color (WD)	NA
Design & Color specifications	On/Off Button Color (WD)	NA
Design & Color specifications	Start/Pause Button Color (WD)	White
Design & Color specifications	Front Drawer Handle (WD)	White
Design & Color specifications	Front Drawer Handle Decorative Part (WD)	NA
Design & Color specifications	Door handle decorative part (WD)	NA
Design & Color specifications	Special case for colors (WD)	No
Design & Color specifications	Front Wall Color (WD)	White
Design & Color specifications	Time Delay Button Color (WD)	NA
Design & Color specifications	Built-in Upper Cover Sheet Color (WD)	NA
Design & Color specifications	Program Knob Indicator (WD)	NA
Design & Color specifications	Front Door Ring (WD)	
Design & Color specifications	Front Drawer Top inlay (WD)	

Design & Color specifications	Program Knob Cover (WD)	
Design & Color specifications	Front Door Bottom Cover (WD)	
Marketing Data	Product Form	
Marketing Data	Accessory Link	
		ProSmart Inverter Motor & HomeWhiz & SteamCure
Marketing Data	Marketing Slogan	
Marketing Data	Award 1	
Marketing Data	Award 1 Description	
Marketing Data	Award 2	
Marketing Data	Award 2 Description	
Marketing Data	Award 3	
Marketing Data	Award 3 Description	
Marketing Data	Award 1 Link	
Marketing Data	Award 2 Link	
Marketing Data	Award 3 Link	
Marketing Data	Marketing Image 1	
Marketing Data	Marketing Image 2	
Marketing Data	Marketing Image 3	
Marketing Data	Marketing Image 1 Link	
Marketing Data	Marketing Image 2 Link	
Marketing Data	Marketing Image 3 Link	
Marketing Data	Product Video Link	
Marketing Data	Warranty Badge	
Marketing Data	Highlighted	
Marketing Data	Product Description	
Marketing Data	Marketing Description-Catalogue	
Marketing Data	Review Badge	
Marketing Data	Bottom Left Sticker (WD)	10YearWarranty(Eng)_ PR00100116
Marketing Data	Bottom Right Sticker (WD)	NA
Marketing Data	Kick Plate / Door Sticker (WD)	P&G Label Beko EU;NA
Marketing Data	Top Left Sticker (WD)	NA
Marketing Data	Top Plate Sticker (WD)	NA
Marketing Data	Top Right Sticker (WD)	NA
Marketing Data	Hero Front Wall Sticker	
Marketing Data	Left Side Wall Top Right Sticker (WD)	
Technical Details	Drum Volume (WD)	55
Technical Details	Machine Type	Washer Dryer
Technical Details	Drying Technology	Water condensation
Technical Details	Dynamic Group (WD)	E500
Technical Details	Front Door and Hinge Type	WWD Beko
Technical Details	Other/comments	-
Technical Details	Cable_Length(M)	1.80 meters
Technical Details	Connected Value_(w)	2200
Technical Details	Maximum Current Intensity (a) (WD)	10
Technical Details	Tub Material	Polypropylen
Technical Details	Main Model Code (WD)	1420
Technical Details	VDE Code (WD)	142014CN
Technical Details	Special Case (WD)	NA
Technical Details	Dec. Of Conformity Doc.	Yes
Technical Details	First PET Tub Availability	Since_October_2020
Technical Details	PET Tub	Yes

Approval & Certificate Information	Requested Standards	CE; VDE
Approval & Certificate Information	Additional Standards	
Approval & Certificate Information	Declaration of Conformity	
Approval & Certificate Information	Country Specific Standards	
		English - United States of America, \\ARAHM438\MdmBinaryObjects\products\R59380\EPREL Technical Document\202006191129791_EPREL Technical Documenten_US.pdf
Approval & Certificate Information	EPREL Technical Document	
		English - United States of America, /irj/go/km/docs/mdm/etiketfrompi/EPREL2021_7161548200_en_US20210106-171800-699.pdf
Approval & Certificate Information	EPREL Technical Document (EU_2021_EP)	
Approval & Certificate Information	Eprel Registration Number for QR code (EU_2021_EP)	https://eprel.ec.europa.eu/qr/298382
		7,1 - 8,0 KG-Washer Dryer, U01000100040000004
Production Information	SAP Hierarchy	
Production Information	Product Category	Export
Production Information	Product Type	Project
Production Information	TeamCenter Projects	
Production Information	Material Type	Inhouse
Production Information	Production Format	CBU
Production Information	Annual Quantity	1200
Production Information	Requested Effectivity	First Production
Production Information	First Production Quantity	100
Production Information	Requested Production Date	06/01/2020
Production Information	Project Completion Date	
Production Information	Technical Availability Date	26.2020
Production Information	Updated Technical Availability Date	26.2020
	Estimated Earliest Serial Production Date	26.2020
Production Information	Request Creation Date of Last Mass Production by PM	
	Proposed Date for Last Mass Production by PM	
Production Information	Date for Last Mass Production by PP	
	Lead Time Required for SOP Update for First Production	0.0 weeks
Production Information	Planned Phase-Out Date	
Production Information	Industrial Design Approval Required	
Production Information	First Serial Production Date	08/21/2020
Production Information	Factory Notes	-
Printed Documents	Label Languages	English
	Packaging Cartoon Artwork (if special)	No
Printed Documents	Made in ... On Rating Label	Made in Turkey

Printed Documents	Energy Label (WD)	Colorful
Printed Documents	Energy Label Placement (WD)	In the IB polybag
Printed Documents	Product Definiton Label	No
Printed Documents	Special Stickers/Information	importer sticker.
Printed Documents	Rating Label (WD)	Standard
Printed Documents	Printed Document Language (except User Manual)	Romanian;English
Printed Documents	Additional Documents	
Printed Documents	Extended motor / Compressor Warranty (Web)	10 Years
Printed Documents	Main Benefit Labels (WD)	
Printed Documents	Energy Label Languages	English;Romanian;Slovenian
Printed Documents	Customer Specific QR Code (WD)	NA
Printed Documents	New Energy Label Information Form	NA
Printed Documents	EU21 Disclaimer Information Form	Yes
Printed Documents	Calibration Information	Yes
Printed Documents	Warranty Information - File	
Printed Documents	User Manual Preparation	Arçelik Romanian; English; Croatian; Latvian (Lettish); Lithuanian; Estonian; Czech; Slovak; Albanian; Macedonian; Bosanski; Serbian; Danish; Finnish; Norwegian;
Printed Documents	User Manual Languages (Hardcopy)	Swedish
Printed Documents	User Manual Languages (Softcopy)	

English - United Kingdom,
 /irj/go/km/docs/mdm/userManualsfrompi/Manual_7161548200_en_US20201225-131317-616.pdf; English - United States of America,
 /irj/go/km/docs/mdm/userManualsfrompi/Manual_7161548200_en_US20201225-131317-616.pdf; Croatian - Croatia,
 /irj/go/km/docs/mdm/userManualsfrompi/Manual_7161548200_hr_HR20201225-131318-141.pdf; Romanian - Romania,
 /irj/go/km/docs/mdm/userManualsfrompi/Manual_7161548200_ro_RO20201225-131318-600.pdf; Slovenian - Slovenia,
 /irj/go/km/docs/mdm/userManualsfrompi/Manual_7161548200_sl_SI20201225-131319-

Printed Documents	User Manual - File (Long)	
Printed Documents	User Manual - File (Short)	
Printed Documents	Warranty Information	Warranty Card
		Romanian; Danish; Finnish; Norwegian; Swedish
Printed Documents	Warranty Information - Language	
Printed Documents	Rating Label if special Pls. Specify	
Printed Documents	Installation-Diagram	
Printed Documents	Quick Guide	
Printed Documents	Service Address List	No
Printed Documents	Service Address List File	
Printed Documents	Importer Label	

Czech - Czech
Republic,
/irj/go/km/docs/mdm/eti
ketfrompi/ENERGYLAB
EL1_7161548200_cs_
CZ20201111-140618-
625.jpg; English -
United States of
America,
/irj/go/km/docs/mdm/eti
ketfrompi/ENERGYLAB
EL1_7161548200_en_
US20201111-140618-
652.jpg; Estonian -
Estonia,
/irj/go/km/docs/mdm/eti
ketfrompi/ENERGYLAB
EL1_7161548200_et_E
E20201111-140618-
676.jpg; Croatian -
Croatia,
/irj/go/km/docs/mdm/eti
ketfrompi/ENERGYLAB
EL1_7161548200_hr_H
R20201111-140618-
725.jpg; Lithuanian -
Lithuania,
/irj/go/km/docs/mdm/eti
ketfrompi/ENERGYLAB
EL1_7161548200_lt_LT
20201111-140618-

Printed Documents	ENERGY LABEL 1
Printed Documents	ENERGY LABEL 2
Printed Documents	ENERGY LABEL 3
Printed Documents	ENERGY LABEL 4

Printed Documents

BARCODE LABEL 1

Czech - Czech
Republic,
/irj/go/km/docs/mdm/eti
ketfrompi/BARCODELA
BEL1_7161548200_cs_
CZ20210211-174137-
577.pdf; Estonian -
Estonia,
/irj/go/km/docs/mdm/eti
ketfrompi/BARCODELA
BEL1_7161548200_et_
EE20210211-174137-
675.pdf; Croatian -
Croatia,
/irj/go/km/docs/mdm/eti
ketfrompi/BARCODELA
BEL1_7161548200_hr_
HR20210211-174137-
777.pdf; Lithuanian -
Lithuania,
/irj/go/km/docs/mdm/eti
ketfrompi/BARCODELA
BEL1_7161548200_lt_
LT20210211-174137-
850.pdf; Latvian
(Lettish) - Latvia,
/irj/go/km/docs/mdm/eti
ketfrompi/BARCODELA
BEL1_7161548200_lv_
LV20210211-174138-
088.pdf; Romanian -

Czech - Czech
Republic,
/irj/go/km/docs/mdm/eti
ketfrompi/RATINGLAB
EL1_7161548200_cs_
CZ20210211-174139-
482.pdf; Estonian -
Estonia,
/irj/go/km/docs/mdm/eti
ketfrompi/RATINGLAB
EL1_7161548200_et_E
E20210211-174139-
565.pdf; Croatian -
Croatia,
/irj/go/km/docs/mdm/eti
ketfrompi/RATINGLAB
EL1_7161548200_hr_H
R20210211-174139-
641.pdf; Lithuanian -
Lithuania,
/irj/go/km/docs/mdm/eti
ketfrompi/RATINGLAB
EL1_7161548200_lt_LT
20210211-174139-
730.pdf; Latvian
(Lettish) - Latvia,
/irj/go/km/docs/mdm/eti
ketfrompi/RATINGLAB
EL1_7161548200_lv_L
V20210211-174139-
895.pdf; Romanian -

Czech - Czech Republic,
/irj/go/km/docs/mdm/etiketfrompi/PRODUCTFI
CH1_7161548200_cs_
CZ20201111-140619-
568.jpg; English - United States of America,
/irj/go/km/docs/mdm/etiketfrompi/PRODUCTFI
CH1_7161548200_en_
US20201111-140619-
632.jpg; Estonian - Estonia,
/irj/go/km/docs/mdm/etiketfrompi/PRODUCTFI
CH1_7161548200_et_
EE20201111-140619-
714.jpg; Croatian - Croatia,
/irj/go/km/docs/mdm/etiketfrompi/PRODUCTFI
CH1_7161548200_hr_
HR20201111-140619-
762.jpg; Lithuanian - Lithuania,
/irj/go/km/docs/mdm/etiketfrompi/PRODUCTFI
CH1_7161548200_lt_L
T20201111-140619-

Printed Documents	PRODUCT FICHE 1
Printed Documents	PRODUCT FICHE 2
Printed Documents	PRODUCT FICHE 3
Printed Documents	PRODUCT FICHE 4
Printed Documents	BACK WALL 1
Printed Documents	Audio Manual Link
Printed Documents	Pop Labels

		Czech - Czech Republic, /irj/go/km/docs/mdm/eti ketfrompi/ENERGYLAB ELEU2021_716154820 0_cs_CZ20210827- 154416-023.pdf; English - United States of America, /irj/go/km/docs/mdm/eti ketfrompi/ENERGYLAB ELEU2021_716154820 0_en_US20210827- 154416-089.pdf; Estonian - Estonia, /irj/go/km/docs/mdm/eti ketfrompi/ENERGYLAB ELEU2021_716154820 0_et_EE20210827- 154416-221.pdf; Croatian - Croatia, /irj/go/km/docs/mdm/eti ketfrompi/ENERGYLAB ELEU2021_716154820 0_hr_HR20210827- 154416-285.pdf; Lithuanian - Lithuania, /irj/go/km/docs/mdm/eti ketfrompi/ENERGYLAB ELEU2021_716154820 0_lt_LT20210827-
Printed Documents	ENERGY LABEL (EU_2021_EP)	0

		Arabic - United Arab Emirates, /irj/go/km/docs/mdm/etiketfrompi/PRODUCTFI CHEEU2021_7161548 20020201111-140620-039.jpg; Arabic - Egypt, /irj/go/km/docs/mdm/etiketfrompi/PRODUCTFI CHEEU2021_7161548 20020201111-140620-039.jpg; Arabic - Iraq, /irj/go/km/docs/mdm/etiketfrompi/PRODUCTFI CHEEU2021_7161548 20020201111-140620-039.jpg; Arabic - Jordan, /irj/go/km/docs/mdm/etiketfrompi/PRODUCTFI CHEEU2021_7161548 20020201111-140620-039.jpg; Arabic - Lebanon, /irj/go/km/docs/mdm/etiketfrompi/PRODUCTFI CHEEU2021_7161548 20020201111-140620-039.jpg; Bulgarian - Bulgaria, /irj/go/km/docs/mdm/etiketfrompi/PRODUCTFI CHEEU2021_7161548 20020201111-140620-039.jpg
Printed Documents	Product Information Sheet (EU_2021_EP)	
Printed Documents	User Manual – Digital	
		http://productmdm:50000/irj/go/km/docs/productImages/MDM_HIGH_1/7161548200_HI1_2020914_203602.tif
Product Photos	High 1	
		http://productmdm:50000/irj/go/km/docs/productImages/MDM_HIGH_2/7161548200_HI2_2020914_203640.tif
Product Photos	High 2	
Product Photos	High 3	
Product Photos	High 4	
		http://productmdm:50000/irj/go/km/docs/productImages/MDM_LOW_1/7161548200_LO1_20200914_203701.png
Product Photos	Low 1	
		http://productmdm:50000/irj/go/km/docs/productImages/MDM_LOW_2/7161548200_LO2_20200914_203712.png
Product Photos	Low 2	

		http://productmdm:50000/irj/go/km/docs/productImages/MDM_LOW_3/7161548200_LO3_20200914_203723.png
Product Photos	Low 3	
		http://productmdm:50000/irj/go/km/docs/productImages/MDM_LOW_4/7161548200_LO4_20200914_203743.png
Product Photos	Low 4	
Product Photos	Low 5	
Product Photos	Low 6	
Product Photos	Low 7	
Product Photos	Low 8	
Product Photos	Low 9	
Product Photos	Low 10	
Product Photos	Product Video	
Product Photos	Photo Production Method	Retouch - Cansu Akın
Product Photos	Low 1 Draft	
Product Photos	Low 2 Draft	
Product Photos	Low 3 Draft	
Product Photos	Low 4 Draft	
Product Photos	Low 5 Draft	
Product Photos	High 1 Draft	
Product Photos	High 2 Draft	
Product Photos	High 3 Draft	
Product Photos	High 4 Draft	
Product Photos	Low 6 Draft	
Product Photos	Photo Production Method- additional angles	3D Render - Inhouse – Retouch
Logistics Data	Loading Info	
Logistics Data	Container Unloading Info	
Logistics Data	Loading Qty - GABS Wagon	0
Logistics Data	Loading Qty - 2 Axle Wagon	0
Logistics Data	Loading Qty - Camion+Romork	0
Logistics Data	Loading Qty - Swap Body	0
Logistics Data	Loading Qty - Semi Truck	0
Logistics Data	Loading Qty - Optima Truck	0
Logistics Data	Loading Qty - 20'	0
Logistics Data	Loading Qty - 45' HC	0
Logistics Data	Loading Qty - 40' HC	0
Logistics Data	Loading Qty - 40'	0
Logistics Data	MoQ	0
Logistics Data	Stacking Level	5
Packaging & Dimensions	Special Packaging/Case (WD)	No
Packaging & Dimensions	Countertop Depth (cm)	55.9 centimeters
Packaging & Dimensions	Packaging Type	Shrink
Packaging & Dimensions	Depth - Packed (cm)(z)	60.0 centimeters
Packaging & Dimensions	Width - Packed (cm)(x)	65.0 centimeters
Packaging & Dimensions	Height - Packed (cm)(y)	88.0 centimeters
Packaging & Dimensions	Weight - Packed (kg)	68.000 kilograms
Packaging & Dimensions	Depth - Unpacked (cm)(z)	59.0 centimeters
Packaging & Dimensions	Width - Unpacked (cm)(x)	60.0 centimeters
Packaging & Dimensions	Height - Unpacked (cm)(y)	84.0 centimeters
Packaging & Dimensions	Weight - Unpacked (kg)	67.000 kilograms
Packaging & Dimensions	Depth - Packed (in.)(z)	23.622047

Packaging & Dimensions	Width - Packed (in.)(x)	25.590551
Packaging & Dimensions	Height - Packed (in.)(y)	34.645668
Packaging & Dimensions	Weight - Packed (lb.)	149.91434
Packaging & Dimensions	Depth - Unpacked (in.)(z)	23.228346
Packaging & Dimensions	Width - Unpacked (in.)(x)	23.622047
Packaging & Dimensions	Height - Unpacked (in.)(y)	33.070866
Packaging & Dimensions	Weight - Unpacked (lb.)	147.70972
Packaging & Dimensions	Weight of Packaging Material - Metal	0.000 grams
Packaging & Dimensions	Weight of Packaging Material - Straphor	815.000 grams
Packaging & Dimensions	Weight of Packaging Material - Plastic	178.000 grams
Packaging & Dimensions	Weight of Packaging Material - Wooden	0.000 grams
Packaging & Dimensions	Weight of Packaging Material - Carton	10.000 grams
Packaging & Dimensions	Depth - Unpacked (in fractional.)(z)	
Packaging & Dimensions	Width - Unpacked (in fractional.)(x)	
Packaging & Dimensions	Height - Unpacked (in fractional.)(y)	
Packaging & Dimensions	Depth - Packed (in fractional.)(z)	