

Safety Data Sheet

According to Annex II to REACH - Regulation (EU) 2020/878

SECTION 1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Code: SL11240400  
Product name: CHANTECLAIR CAPI SPORTIVI

1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended use: Liquid detergent for delicate garments

| Identified Uses          | Industrial | Professional | Consumer |
|--------------------------|------------|--------------|----------|
| Cleaner for hand washing | -          | -            | ✓        |
| Uses Advised Against     |            |              |          |

Don't use for different uses from the recommended one

1.3. Details of the supplier of the safety data sheet

Name: REALCHIMICA SRL  
Full address: Via Monte Santo, 37  
District and Country: 20831 Seregno (MB) ITALIA  
Tel. 0362226851  
Fax 0362222267  
  
e-mail address of the competent person responsible for the Safety Data Sheet: sds@gruppodesa.com

1.4. Emergency telephone number

For urgent inquiries refer to: +370 (5) 2362052 (free of charge, available 24 hours a day, seven days a week).

SECTION 2. Hazards identification

2.1. Classification of the substance or mixture

The product is classified as hazardous pursuant to the provisions set forth in (EC) Regulation 1272/2008 (CLP) (and subsequent amendments and supplements). The product thus requires a safety datasheet that complies with the provisions of (EU) Regulation 2020/878. Any additional information concerning the risks for health and/or the environment are given in sections 11 and 12 of this sheet.

|                                       |      |                                      |
|---------------------------------------|------|--------------------------------------|
| Hazard classification and indication: |      |                                      |
| Eye irritation, category 2            | H319 | Causes serious eye irritation.       |
| Skin sensitization, category 1        | H317 | May cause an allergic skin reaction. |

2.2. Label elements

Hazard labelling pursuant to EC Regulation 1272/2008 (CLP) and subsequent amendments and supplements.

Hazard pictograms:



Signal word: Warning

Hazard statements:

H319 Causes serious eye irritation.

H317 May cause an allergic skin reaction.

Precautionary statements:

P102 Keep out of reach of children.

P101 If medical advice is needed, have product container or label at hand.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P333+P313 If skin irritation or rash occurs: Get medical advice / attention.

P337+P313 If eye irritation persists: Get medical advice / attention.

P280 Wear eye protection / face protection.

P302+P352 IF ON SKIN: wash with plenty of water

Contains: Methylisothiazolinone  
BENZITHIAZOLINONE

2.3. Other hazards

On the basis of available data, the product does not contain any PBT or vPvB in percentage ≥ than 0,1%.

The product does not contain substances with endocrine disrupting properties in concentration ≥ 0.1%.

SECTION 3. Composition/information on ingredients

3.2. Mixtures

Contains:

| Identification | Conc. % | Classification (EC) 1272/2008 (CLP) |
|----------------|---------|-------------------------------------|
|----------------|---------|-------------------------------------|

|                                                              |           |                                                                                                                                                                                               |
|--------------------------------------------------------------|-----------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Alcohols, C12-14, ethoxylates, sulfates, sodium salts</b> |           |                                                                                                                                                                                               |
| INDEX -                                                      | 7,5 - 10  | Eye Dam. 1 H318, Skin Irrit. 2 H315                                                                                                                                                           |
| EC 500-234-8                                                 |           | Eye Dam. 1 H318: ≥ 10%, Eye Irrit. 2 H319: ≥ 5% - < 10%                                                                                                                                       |
| CAS 68891-38-3                                               |           |                                                                                                                                                                                               |
| REACH Reg. 01-2119488639-16-0024                             |           |                                                                                                                                                                                               |
| <b>Alcohols, C12-18, ethoxylated</b>                         |           |                                                                                                                                                                                               |
| INDEX                                                        | 3,5 – 5,5 | Acute Tox. 4 H302, Eye Dam. 1 H318, Aquatic Chronic 3 H412                                                                                                                                    |
| EC -                                                         |           | LD50 Oral: 2000 mg/kg                                                                                                                                                                         |
| CAS 68213-23-0                                               |           |                                                                                                                                                                                               |
| REACH Reg. Exempt / Polymer                                  |           |                                                                                                                                                                                               |
| <b>Disodium Capryloyl Glutamate</b>                          |           |                                                                                                                                                                                               |
| INDEX -                                                      | 1 - 3     | Eye Irrit. 2 H319                                                                                                                                                                             |
| EC 948-708-7                                                 |           |                                                                                                                                                                                               |
| CAS -                                                        |           |                                                                                                                                                                                               |
| REACH Reg. 01-2120781106-56-0000                             |           |                                                                                                                                                                                               |
| <b>Pyridine-2-thiol 1-oxide, sodium salt</b>                 |           |                                                                                                                                                                                               |
| INDEX -                                                      | 0 - 0,02  | Acute Tox. 3 H311, Acute Tox. 3 H331, Acute Tox. 4 H302, STOT RE 1 H372, Eye Irrit. 2 H319, Skin Irrit. 2 H315, Skin Sens. 1 H317, Aquatic Acute 1 H400 M=100, Aquatic Chronic 2 H411, EUH070 |
| EC 223-296-5                                                 |           | LD50 Oral: 500 mg/kg, LD50 Dermal: 790 mg/kg, ATE Inhalation mists/powders: 0,501 mg/l                                                                                                        |
| CAS 3811-73-2                                                |           |                                                                                                                                                                                               |
| <b>Methylisothiazolinone</b>                                 |           |                                                                                                                                                                                               |
| INDEX 613-326-00-9                                           | 0 – 0,01  | Acute Tox. 2 H330, Acute Tox. 3 H301, Acute Tox. 3 H311, Skin Corr. 1B H314, Eye Dam. 1 H318, Skin Sens. 1A H317, Aquatic Acute 1 H400 M=10, Aquatic Chronic 1 H410 M=1, EUH071               |
| EC 220-239-6                                                 |           | Skin Sens. 1A H317: ≥ 0,0015%                                                                                                                                                                 |
| CAS 2682-20-4                                                |           | ATE Oral: 100 mg/kg, ATE Dermal: 300 mg/kg, ATE Inhalation vapours: 0,501 mg/l, ATE Inhalation mists/powders: 0,051 mg/l                                                                      |
| <b>BENZITHIAZOLINONE</b>                                     |           |                                                                                                                                                                                               |
| INDEX 613-088-00-6                                           | 0 – 0,01  | Acute Tox. 2 H330, Acute Tox. 4 H302, Eye Dam. 1 H318, Skin Irrit. 2 H315, Skin Sens. 1A H317, Aquatic Acute 1 H400 M=1, Aquatic Chronic 1 H410 M=1                                           |
| EC 220-120-9                                                 |           | Skin Sens. 1A H317: ≥ 0,036%                                                                                                                                                                  |
| CAS 2634-33-5                                                |           | LD50 Oral: 450 mg/kg, ATE Inhalation mists/powders: 0,051 mg/l                                                                                                                                |
| <b>P-MENT-1-EN-4-OLO</b>                                     |           |                                                                                                                                                                                               |
| INDEX -                                                      | 0 – 0,01  | Acute Tox. 4 H302, Eye Irrit. 2 H319, Skin Irrit. 2 H315, Skin Sens. 1 H317, STOT SE 3 H336                                                                                                   |
| EC 209-235-5                                                 |           | LD50 Oral: 1300 mg/kg                                                                                                                                                                         |
| CAS 562-74-3                                                 |           |                                                                                                                                                                                               |

The full wording of hazard (H) phrases is given in section 16 of the sheet.

SECTION 4. First aid measures

4.1. Description of first aid measures

In case of doubt or in the presence of symptoms contact a doctor and show him this document.  
In case of more severe symptoms, ask for immediate medical aid.  
EYES: Remove, if present, contact lenses if the situation allows you to do so easily. Wash immediately with plenty of water for at least 15 minutes, opening the eyelids fully. Get medical advice/attention.  
SKIN: Take off immediately all contaminated clothing. Wash immediately and thoroughly with running water (and soap if possible). Get medical

|                                         |                                                           |
|-----------------------------------------|-----------------------------------------------------------|
| REALCHIMICA SRL                         | Revision nr. 2                                            |
|                                         | Dated 28/11/2025                                          |
|                                         | Printed on 03/07/2026                                     |
|                                         | Page n. 4/16                                              |
| SL11240400_CHANTECLAIR CAPI SPORTIVI    |                                                           |
| Replaced revision:1 (Dated: 14/06/2024) |                                                           |
| Safety Data Sheet                       | According to Annex II to REACH - Regulation (EU) 2020/878 |

advice/attention. Avoid further contact with contaminated clothing.  
INGESTION: Do not induce vomiting unless explicitly authorised by a doctor. Do not give anything by mouth to an unconscious person. Get medical advice/attention.  
INHALATION: Remove victim to fresh air, away from the accident scene. Get medical advice/attention.

Rescuer protection

It is good practice for rescuers lending support to a person who has been exposed to a chemical substance or to a mixture to wear personal protective equipment. The nature of such protection depends on the hazard level of the substance or mixture, on the type of exposure and on the extent of the contamination. In the absence of other more specific indications, use of disposable gloves in the event of possible contact with body fluids is recommended. For the type of PPE suitable for the characteristics of the substance or mixture, see section 8.

4.2. Most important symptoms and effects, both acute and delayed

Causes serious eye irritation.  
It can cause an allergic skin reaction.

4.3. Indication of any immediate medical attention and special treatment needed

If skin irritation or rash occurs: Get medical advice / attention.  
For both acute and delayed symptoms, consult a doctor.

Means to have available in the workplace for specific and immediate treatment

Running water for skin and eye wash.

SECTION 5. Firefighting measures

5.1. Extinguishing media

SUITABLE EXTINGUISHING EQUIPMENT  
The extinguishing equipment should be of the conventional kind: carbon dioxide, foam, powder and water spray.  
UNSUITABLE EXTINGUISHING EQUIPMENT  
None in particular.

5.2. Special hazards arising from the substance or mixture

HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE  
Do not breathe combustion products.  
  
Special dangers deriving from substance or mixture: they can form Co and CO2.

5.3. Advice for firefighters

GENERAL INFORMATION  
Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations.  
SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS  
Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

|                                      |                                                           |                                         |
|--------------------------------------|-----------------------------------------------------------|-----------------------------------------|
| REALCHIMICA SRL                      |                                                           | Revision nr. 2                          |
| SL11240400_CHANTECLAIR CAPI SPORTIVI |                                                           | Dated 28/11/2025                        |
|                                      |                                                           | Printed on 03/07/2026                   |
|                                      |                                                           | Page n. 5/16                            |
|                                      |                                                           | Replaced revision:1 (Dated: 14/06/2024) |
| Safety Data Sheet                    | According to Annex II to REACH - Regulation (EU) 2020/878 |                                         |

SECTION 6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Block the loss if there is no danger.  
Wearing adequate protection devices referred to in section 8 of the security data sheet in order to prevent contamination of the skin, eyes and personal clothing. These indications are valid both for the employees and for emergency interventions.

6.2. Environmental precautions

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

6.3. Methods and material for containment and cleaning up

Collect the leaked product into a suitable container. Evaluate the compatibility of the container to be used, by checking section 10. Absorb the remainder with inert absorbent material.  
Make sure the leakage site is well aired. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

6.4. Reference to other sections

Any information on personal protection and disposal is given in sections 8 and 13.

SECTION 7. Handling and storage

7.1. Precautions for safe handling

Before handling the product, consult all the other sections of this material safety data sheet. Avoid leakage of the product into the environment. Do not eat, drink or smoke during use. Remove any contaminated clothes and personal protective equipment before entering places in which people eat.

7.2. Conditions for safe storage, including any incompatibilities

Store only in the original container. Store the containers sealed, in a well ventilated place, away from direct sunlight. Keep containers away from any incompatible materials, see section 10 for details.

7.3. Specific end use(s)

For specific uses see chapter 1.2.

SECTION 8. Exposure controls/personal protection

8.1. Control parameters

Regulatory references:

|    |        |                                                                                                                                                                                                                                                                                            |
|----|--------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| EU | OEL EU | Directive (EU) 2022/431; Directive (EU) 2019/1831; Directive (EU) 2019/130; Directive (EU) 2019/983; Directive (EU) 2017/2398; Directive (EU) 2017/164; Directive 2009/161/EU; Directive 2006/15/EC; Directive 2004/37/EC; Directive 2000/39/EC; Directive 98/24/EC; Directive 91/322/EEC. |
|----|--------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

Alcohols, C12-14, ethoxylates, sulfates, sodium salts

Predicted no-effect concentration - PNEC

Safety Data Sheet

According to Annex II to REACH - Regulation (EU) 2020/878

|                                                     |        |         |
|-----------------------------------------------------|--------|---------|
| Normal value in fresh water                         | 0,129  | mg/l    |
| Normal value in marine water                        | 0,0129 | mg/l    |
| Normal value for fresh water sediment               | 4,835  | mg/kg/d |
| Normal value for marine water sediment              | 0,4835 | mg/kg/d |
| Normal value for marine water, intermittent release | 0,71   | mg/l    |
| Normal value for fresh water, intermittent release  | 0,071  | mg/l    |
| Normal value of STP microorganisms                  | 10000  | mg/l    |
| Normal value for the terrestrial compartment        | 7,5    | mg/kg/d |

| Health - Derived no-effect level - DNEL / DMEL |                      |                |               |                  |                    |                |               |                  |
|------------------------------------------------|----------------------|----------------|---------------|------------------|--------------------|----------------|---------------|------------------|
| Route of exposure                              | Effects on consumers |                |               |                  | Effects on workers |                |               |                  |
|                                                | Acute local          | Acute systemic | Chronic local | Chronic systemic | Acute local        | Acute systemic | Chronic local | Chronic systemic |
| Oral                                           |                      |                |               | 25 mg/kg bw/d    |                    |                |               |                  |
| Inhalation                                     |                      |                |               | 87,1 mg/m3       |                    |                |               | 411 mg/m3        |
| Skin                                           |                      |                |               | 2500 mg/kg bw/d  |                    |                |               | 5830 mg/kg bw/d  |

| Methylisothiazolinone |         |        |            |       |                        |
|-----------------------|---------|--------|------------|-------|------------------------|
| Threshold Limit Value |         |        |            |       |                        |
| Type                  | Country | TWA/8h | STEL/15min |       | Remarks / Observations |
|                       |         | mg/m3  | ppm        | mg/m3 | ppm                    |
| OEL                   | EU      | 1,5    |            | 4,5   |                        |

| P-MENT-1-EN-4-OLO     |         |        |            |       |                        |
|-----------------------|---------|--------|------------|-------|------------------------|
| Threshold Limit Value |         |        |            |       |                        |
| Type                  | Country | TWA/8h | STEL/15min |       | Remarks / Observations |
|                       |         | mg/m3  | ppm        | mg/m3 | ppm                    |
| OEL                   | EU      | 25     |            | 50    |                        |

Legend:

(C) = CEILING ; INHAL = Inhalable Fraction ; RESP = Respirable Fraction ; THORA = Thoracic Fraction.

VND = hazard identified but no DNEL/PNEC available ; NEA = no exposure expected ; NPI = no hazard identified ; LOW = low hazard ; MED = medium hazard ; HIGH = high hazard.

8.2. Exposure controls

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration.

When choosing personal protective equipment, ask your chemical substance supplier for advice.

Personal protective equipment must be CE marked, showing that it complies with applicable standards.

Provide an emergency shower with face and eye wash station.

HAND PROTECTION

For normal use:

Recommended NITRILE, LATEX or similar gloves (waterproof) Minimum thickness 0.1 mm, which may vary based on the conditions of use, but such as to

guarantee a minimum protection of 1 hour.  
For prolonged handling of the product:  
Category III work gloves recommended (ref. EN 374 standard).  
Minimum permeation time: 14 minutes (METHANOL 99%), Maximum permeation time: 480 minutes (SODIUM HYDROXIDE 50%).  
SKIN PROTECTION:  
For normal use:  
No special protection is required for normal use.  
For prolonged handling of the product:  
No special protection is required for normal use.  
EYE PROTECTION:  
For normal use:  
Use protective glasses.  
For prolonged handling of the product:  
Use protective glasses with side wings (EN 166)  
RESPIRATORY PROTECTION:  
For normal use:  
No special protection is required for normal use.  
For prolonged handling of the product:  
No special protection is required for prolonged use.  
ENVIRONMENTAL EXPOSURE CONTROLS

SECTION 9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

| Properties                                         | Value            | Information                                                                           |
|----------------------------------------------------|------------------|---------------------------------------------------------------------------------------|
| Appearance                                         | viscous liquid   |                                                                                       |
| Colour                                             | Milky white      |                                                                                       |
| Odour                                              | SWEET FLORAL     |                                                                                       |
| Melting point / freezing point                     | not available    | Reason for missing data:does not impact the safety and classification of the product. |
| Initial boiling point                              | not available    | Reason for missing data:Does not impact product safety and classification.            |
| Boiling range                                      | not available    | Reason for missing data:Not relevant (mixture of non-flammable substances).           |
| Flammability                                       | not available    | Reason for missing data:Not relevant (mixture of non-flammable substances).           |
| Lower explosive limit                              | not available    | Reason for missing data:Not relevant (mixture of non-explosive substances)            |
| Upper explosive limit                              | not available    | Reason for missing data:Not relevant (mixture of non-explosive substances)            |
| Flash point                                        | not available    | Reason for missing data:Not self-igniting                                             |
| Auto-ignition temperature                          | not available    | Reason for missing data:Not self-igniting                                             |
| Decomposition temperature                          | untested °C      | Reason for missing data:does not impact the safety and classification of the product. |
| Self-accelerating decomposition temperature (SADT) | not available    | Reason for missing data:does not impact the safety and classification of the product. |
| pH                                                 | 8,2-8,8          |                                                                                       |
| Kinematic viscosity                                | not available    | Reason for missing data:Not tested. Does not impact product safety and classification |
| Dynamic viscosity                                  | 500-900 cPs      | Temperature: 20 °C                                                                    |
| Solubility                                         | soluble in water |                                                                                       |
| Partition coefficient: n-octanol/water             | not available    | Reason for missing data:Not applicable for the mixture                                |
| Vapour pressure                                    | not available    | Reason for missing data:Not tested. Does not impact product safety and classification |
| Density and/or relative density                    | 1,028-1,032 kg/l |                                                                                       |
| Relative vapour density                            | not available    | Reason for missing data:Does not impact product safety and classification.            |

Particle characteristics not applicable

9.2. Other information

9.2.1. Information with regard to physical hazard classes

It does not respond to the classification criteria for physical dangers.

9.2.2. Other safety characteristics

|                              |               |
|------------------------------|---------------|
| Total solids (250°C / 482°F) | 0 %           |
| Explosive properties         | Non-explosive |
| Oxidising properties         | Non-oxidizing |

SECTION 10. Stability and reactivity

10.1. Reactivity

There are no particular reaction dangers with other substances in normal conditions of use.

10.2. Chemical stability

The product is stable in normal conditions of use and storage.

10.3. Possibility of hazardous reactions

In normal use and storage conditions, no dangerous reactions are predictable.

10.4. Conditions to avoid

None in particular. However, follow the usual precautions for chemical products.

10.5. Incompatible materials

No one in particular

10.6. Hazardous decomposition products

Combustion can generate Co and CO2.

SECTION 11. Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Metabolism, toxicokinetics, mechanism of action and other information  
Information not known

|                                                                                                   |  |                                                            |
|---------------------------------------------------------------------------------------------------|--|------------------------------------------------------------|
| REALCHIMICA SRL                                                                                   |  | Revision nr. 2                                             |
| SL11240400_CHANTECLAIR CAPI SPORTIVI                                                              |  | Dated 28/11/2025                                           |
|                                                                                                   |  | Printed on 03/07/2026                                      |
|                                                                                                   |  | Page n. 9/16                                               |
|                                                                                                   |  | Replaced revision:1 (Dated: 14/06/2024)                    |
| Safety Data Sheet                                                                                 |  |                                                            |
| According to Annex II to REACH - Regulation (EU) 2020/878                                         |  |                                                            |
| <u>Information on likely routes of exposure</u>                                                   |  |                                                            |
| Information not known                                                                             |  |                                                            |
| <u>Delayed and immediate effects as well as chronic effects from short and long-term exposure</u> |  |                                                            |
| Information not known                                                                             |  |                                                            |
| <u>Interactive effects</u>                                                                        |  |                                                            |
| Information not known                                                                             |  |                                                            |
| <u>ACUTE TOXICITY</u>                                                                             |  |                                                            |
| ATE (Inhalation) of the mixture:                                                                  |  | Not classified (no significant component)                  |
| ATE (Oral) of the mixture:                                                                        |  | >2000 mg/kg                                                |
| ATE (Dermal) of the mixture:                                                                      |  | Not classified (no significant component)                  |
| Alcohols, C12-14, ethoxylates, sulfates, sodium salts                                             |  |                                                            |
| LD50 (Dermal):                                                                                    |  | > 2000 mg/kg Rat. Method: OECD 402                         |
| LD50 (Oral):                                                                                      |  | > 2000 mg/kg Rat. Method: OECD 401                         |
| Alcohols, C12-18, ethoxylated                                                                     |  |                                                            |
| LD50 (Oral):                                                                                      |  | 2000 mg/kg                                                 |
| Disodium Capryloyl Glutamate                                                                      |  |                                                            |
| LD50 (Oral):                                                                                      |  | > 2000 mg/kg                                               |
| Pyridine-2-thiol 1-oxide, sodium salt                                                             |  |                                                            |
| LD50 (Dermal):                                                                                    |  | 790 mg/kg                                                  |
| LD50 (Oral):                                                                                      |  | 500 mg/kg                                                  |
| LC50 (Inhalation mists/powders):                                                                  |  | 0,5 mg/l                                                   |
| Methylisothiazolinone                                                                             |  |                                                            |
| ATE (Oral):                                                                                       |  | 100 mg/kg estimate from table 3.1.2 of Annex I of the CLP  |
| ATE (Dermal):                                                                                     |  | 300 mg/kg estimate from table 3.1.2 of Annex I of the CLP  |
| ATE (Inhalation mists/powders):                                                                   |  | 0,051 mg/l estimate from table 3.1.2 of Annex I of the CLP |
| ATE (Inhalation vapours):                                                                         |  | 0,501 mg/l estimate from table 3.1.2 of Annex I of the CLP |
| BENZITHIAZOLINONE                                                                                 |  |                                                            |
| LD50 (Oral):                                                                                      |  | 450 mg/kg Ratto                                            |
| LC50 (Inhalation mists/powders):                                                                  |  | 0,21 mg/l                                                  |
| P-MENT-1-EN-4-OLO                                                                                 |  |                                                            |
| LD50 (Dermal):                                                                                    |  | 2500 mg/kg                                                 |
| LD50 (Oral):                                                                                      |  | 1300 mg/kg                                                 |
| <u>SKIN CORROSION / IRRITATION</u>                                                                |  |                                                            |
| Does not meet the classification criteria for this hazard class                                   |  |                                                            |
| <u>SERIOUS EYE DAMAGE / IRRITATION</u>                                                            |  |                                                            |
| Causes serious eye irritation                                                                     |  |                                                            |
| <u>RESPIRATORY OR SKIN SENSITISATION</u>                                                          |  |                                                            |
| Sensitising for the skin                                                                          |  |                                                            |
| <u>GERM CELL MUTAGENICITY</u>                                                                     |  |                                                            |
| Does not meet the classification criteria for this hazard class                                   |  |                                                            |

CARCINOGENICITY

Does not meet the classification criteria for this hazard class

REPRODUCTIVE TOXICITY

Does not meet the classification criteria for this hazard class

STOT - SINGLE EXPOSURE

Does not meet the classification criteria for this hazard class

STOT - REPEATED EXPOSURE

Does not meet the classification criteria for this hazard class

ASPIRATION HAZARD

Does not meet the classification criteria for this hazard class

11.2. Information on other hazards

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with human health effects under evaluation.

SECTION 12. Ecological information

Use this product according to good working practices. Avoid littering. Inform the competent authorities, should the product reach waterways or contaminate soil or vegetation.

12.1. Toxicity

|                                                       |                                                                 |
|-------------------------------------------------------|-----------------------------------------------------------------|
| Alcohols, C12-14, ethoxylates, sulfates, sodium salts |                                                                 |
| LC50 - for Fish                                       | 7,1 mg/l/96h Specie: Danio rerio. Method: OECD 203              |
| EC50 - for Crustacea                                  | 7,4 mg/l/48h Specie: Daphnia magna. Method: OECD 202            |
| EC50 - for Algae / Aquatic Plants                     | 27,7 mg/l/72h Specie: Desmodesmus subspicatus. Method: OECD 201 |
| LC10 for Fish                                         | 1,7 mg/l/28d Specie: Pimephales promelas. Method: OECD 210      |
| Chronic NOEC for Crustacea                            | 1,19 mg/l Specie: Daphnia magna. Method: OECD 211               |
| Alcohols, C12-18, ethoxylated                         |                                                                 |
| LC50 - for Fish                                       | > 1 mg/l/96h Leuciscus idus                                     |
| EC50 - for Crustacea                                  | > 1 mg/l/48h Daphnia magna                                      |
| EC50 - for Algae / Aquatic Plants                     | > 1 mg/l/72h Scenedesmus subspicatus                            |
| Disodium Capryloyl Glutamate                          |                                                                 |
| LC50 - for Fish                                       | > 100 mg/l/96h                                                  |
| EC50 - for Crustacea                                  | > 100 mg/l/48h                                                  |
| EC10 for Algae / Aquatic Plants                       | > 173,31 mg/l/72h                                               |
| Pyridine-2-thiol 1-oxide, sodium salt                 |                                                                 |
| LC50 - for Fish                                       | 0,0073 mg/l/96h                                                 |

|                                         |                                          |
|-----------------------------------------|------------------------------------------|
| EC50 - for Crustacea                    | 0,022 mg/l/48h                           |
| Chronic NOEC for Algae / Aquatic Plants | > 0,08 mg/l                              |
| Methylisothiazolinone                   |                                          |
| LC50 - for Fish                         | 4,77 mg/l/96h Oncorhynchus mykiss        |
| EC50 - for Crustacea                    | 0,93 mg/l/48h Dafnia                     |
| EC50 - for Algae / Aquatic Plants       | 0,22 mg/l/72h Selenastrum capricornutum  |
| BENZITHIAZOLINONE                       |                                          |
| LC50 - for Fish                         | 1,9 mg/l/96h Specie: Oncorhynchus mykiss |
| EC50 - for Crustacea                    | 294 mg/l/48h Daphnia                     |
| EC50 - for Algae / Aquatic Plants       | 0,11 mg/l/72h                            |

12.2. Persistence and degradability

|                                                       |                    |
|-------------------------------------------------------|--------------------|
| Alcohols, C12-14, ethoxylates, sulfates, sodium salts |                    |
| Rapidly degradable                                    |                    |
| Alcohols, C12-18, ethoxylated                         |                    |
| Rapidly degradable                                    | Method: OECD 301 D |
| BENZITHIAZOLINONE                                     |                    |
| Inherently degradable                                 |                    |

The (s) surfactive (s) content (s) in this formulate is (are) compliant (i) to the biodegradability criteria established by Regulation (EC) n. 648/2004 relating to detergents. All support data are held available to the competent authorities of the Member States and will be provided, on their explicit request or at the request of a manufacturer of the formula, to the aforementioned authorities.

12.3. Bioaccumulative potential

Evaluation of the biaccumulus potential: you should not wait for an accumulation in organisms. The product has not been tested. The indications are derived from the substances/products contained in the formulation.

12.4. Mobility in soil

Unknown

12.5. Results of PBT and vPvB assessment

On the basis of available data, the product does not contain any PBT or vPvB in percentage ≥ than 0,1%.

12.6. Endocrine disrupting properties

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with environmental effects under evaluation.

12.7. Other adverse effects

The product does not contain substances listed in regulation 1005/2009/EC on the substances that reduce the ozone layer.

|                                      |                                                           |
|--------------------------------------|-----------------------------------------------------------|
| REALCHIMICA SRL                      | Revision nr. 2                                            |
|                                      | Dated 28/11/2025                                          |
|                                      | Printed on 03/07/2026                                     |
|                                      | Page n. 12/16                                             |
| SL11240400_CHANTECLAIR CAPI SPORTIVI | Replaced revision:1 (Dated: 14/06/2024)                   |
| Safety Data Sheet                    | According to Annex II to REACH - Regulation (EU) 2020/878 |

SECTION 13. Disposal considerations

13.1. Waste treatment methods

Reuse, when possible. Product residues should be considered special hazardous waste. The hazard level of waste containing this product should be evaluated according to applicable regulations.  
Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations.  
The management of waste arising from the use or dispersal of this product must be organised in accordance with occupational safety regulations. See section 8 for possible need for PPE.  
CONTAMINATED PACKAGING  
Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

SECTION 14. Transport information

The product is not dangerous under current provisions of the Code of International Carriage of Dangerous Goods by Road (ADR) and by Rail (RID), of the International Maritime Dangerous Goods Code (IMDG), and of the International Air Transport Association (IATA) regulations.

14.1. UN number or ID number

not applicable

14.2. UN proper shipping name

not applicable

14.3. Transport hazard class(es)

not applicable

14.4. Packing group

not applicable

14.5. Environmental hazards

not applicable

14.6. Special precautions for user

not applicable

14.7. Maritime transport in bulk according to IMO instruments

Information not relevant

SECTION 15. Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Seveso Category - Directive 2012/18/EU: None

Restrictions relating to the product or contained substances pursuant to Annex XVII to EC Regulation 1907/2006

Product  
Point 3 - 40

Contained substance  
Point 75

Regulation (EU) 2019/1148 - on the marketing and use of explosives precursors

not applicable

Substances in Candidate List (Art. 59 REACH)

On the basis of available data, the product does not contain any SVHC in percentage  $\geq$  than 0,1%.

Substances subject to authorisation (Annex XIV REACH)

None

Substances subject to exportation reporting pursuant to Regulation (EU) 649/2012:

None

Substances subject to the Rotterdam Convention:

None

Substances subject to the Stockholm Convention:

None

Healthcare controls

Workers exposed to this chemical agent must not undergo health checks, provided that available risk-assessment data prove that the risks related to the workers' health and safety are modest and that the 98/24/EC directive is respected.

15.2. Chemical safety assessment

A chemical safety assessment has not been performed for the preparation/for the substances indicated in section 3.

SECTION 16. Other information

Text of hazard (H) indications mentioned in section 2-3 of the sheet:

|                   |                                                                    |
|-------------------|--------------------------------------------------------------------|
| Acute Tox. 2      | Acute toxicity, category 2                                         |
| Acute Tox. 3      | Acute toxicity, category 3                                         |
| Acute Tox. 4      | Acute toxicity, category 4                                         |
| STOT RE 1         | Specific target organ toxicity - repeated exposure, category 1     |
| Skin Corr. 1B     | Skin corrosion, category 1B                                        |
| Eye Dam. 1        | Serious eye damage, category 1                                     |
| Eye Irrit. 2      | Eye irritation, category 2                                         |
| Skin Irrit. 2     | Skin irritation, category 2                                        |
| Skin Sens. 1      | Skin sensitization, category 1                                     |
| Skin Sens. 1A     | Skin sensitization, category 1A                                    |
| STOT SE 3         | Specific target organ toxicity - single exposure, category 3       |
| Aquatic Acute 1   | Hazardous to the aquatic environment, acute toxicity, category 1   |
| Aquatic Chronic 1 | Hazardous to the aquatic environment, chronic toxicity, category 1 |
| Aquatic Chronic 2 | Hazardous to the aquatic environment, chronic toxicity, category 2 |
| Aquatic Chronic 3 | Hazardous to the aquatic environment, chronic toxicity, category 3 |
| H330              | Fatal if inhaled.                                                  |
| H301              | Toxic if swallowed.                                                |
| H311              | Toxic in contact with skin.                                        |
| H331              | Toxic if inhaled.                                                  |
| H302              | Harmful if swallowed.                                              |
| H372              | Causes damage to organs through prolonged or repeated exposure.    |
| H314              | Causes severe skin burns and eye damage.                           |
| H318              | Causes serious eye damage.                                         |
| H319              | Causes serious eye irritation.                                     |
| H315              | Causes skin irritation.                                            |
| H317              | May cause an allergic skin reaction.                               |
| H336              | May cause drowsiness or dizziness.                                 |
| H400              | Very toxic to aquatic life.                                        |
| H410              | Very toxic to aquatic life with long lasting effects.              |
| H411              | Toxic to aquatic life with long lasting effects.                   |
| H412              | Harmful to aquatic life with long lasting effects.                 |
| EUH070            | Toxic by eye contact.                                              |
| EUH071            | Corrosive to the respiratory tract.                                |

LEGEND:

- ADR: European Agreement concerning the carriage of Dangerous goods by Road
- ATE: Acute Toxicity Estimate
- CAS: Chemical Abstract Service Number
- CE50: Effective concentration (required to induce a 50% effect)
- CE: Identifier in ESIS (European archive of existing substances)
- CLP: Regulation (EC) 1272/2008

|                                      |                                                           |
|--------------------------------------|-----------------------------------------------------------|
| REALCHIMICA SRL                      | Revision nr. 2                                            |
|                                      | Dated 28/11/2025                                          |
| SL11240400_CHANTECLAIR CAPI SPORTIVI | Printed on 03/07/2026                                     |
|                                      | Page n. 15/16                                             |
|                                      | Replaced revision:1 (Dated: 14/06/2024)                   |
| Safety Data Sheet                    | According to Annex II to REACH - Regulation (EU) 2020/878 |

- DNEL: Derived No Effect Level
- EmS: Emergency Schedule
- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization
- INDEX: Identifier in Annex VI of CLP
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%
- OEL: Occupational Exposure Level
- PBT: Persistent, bioaccumulative and toxic
- PEC: Predicted environmental Concentration
- PEL: Predicted exposure level
- PMT: Persistent, mobile and toxic
- PNEC: Predicted no effect concentration
- REACH: Regulation (EC) 1907/2006
- RID: Regulation concerning the international transport of dangerous goods by train
- TLV: Threshold Limit Value
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.
- TWA: Time-weighted average exposure limit
- TWA STEL: Short-term exposure limit
- VOC: Volatile organic Compounds
- vPvB: Very persistent and very bioaccumulative
- vPvM: Very persistent and very mobile
- WGK: Water hazard classes (German).

GENERAL BIBLIOGRAPHY

1. Regulation (EC) 1907/2006 (REACH) of the European Parliament
  2. Regulation (EC) 1272/2008 (CLP) of the European Parliament
  3. Regulation (EU) 2020/878 (II Annex of REACH Regulation)
  4. Regulation (EC) 790/2009 (I Atp. CLP) of the European Parliament
  5. Regulation (EU) 286/2011 (II Atp. CLP) of the European Parliament
  6. Regulation (EU) 618/2012 (III Atp. CLP) of the European Parliament
  7. Regulation (EU) 487/2013 (IV Atp. CLP) of the European Parliament
  8. Regulation (EU) 944/2013 (V Atp. CLP) of the European Parliament
  9. Regulation (EU) 605/2014 (VI Atp. CLP) of the European Parliament
  10. Regulation (EU) 2015/1221 (VII Atp. CLP) of the European Parliament
  11. Regulation (EU) 2016/918 (VIII Atp. CLP) of the European Parliament
  12. Regulation (EU) 2016/1179 (IX Atp. CLP)
  13. Regulation (EU) 2017/776 (X Atp. CLP)
  14. Regulation (EU) 2018/669 (XI Atp. CLP)
  15. Regulation (EU) 2019/521 (XII Atp. CLP)
  16. Delegated Regulation (UE) 2018/1480 (XIII Atp. CLP)
  17. Regulation (EU) 2019/1148
  18. Delegated Regulation (UE) 2020/217 (XIV Atp. CLP)
  19. Delegated Regulation (UE) 2020/1182 (XV Atp. CLP)
  20. Delegated Regulation (UE) 2021/643 (XVI Atp. CLP)
  21. Delegated Regulation (UE) 2021/849 (XVII Atp. CLP)
  22. Delegated Regulation (UE) 2022/692 (XVIII Atp. CLP)
  23. Delegated Regulation (UE) 2023/707
  24. Delegated Regulation (UE) 2023/1434 (XIX Atp. CLP)
  25. Delegated Regulation (UE) 2023/1435 (XX Atp. CLP)
  26. Delegated Regulation (UE) 2024/197 (XXI Atp. CLP)
  27. Delegated Regulation (UE) 2024/2564 (XXII Atp. CLP)
  28. Regulation (EU) 2024/2865
- The Merck Index. - 10th Edition
  - Handling Chemical Safety
  - INRS - Fiche Toxicologique (toxicological sheet)
  - Patty - Industrial Hygiene and Toxicology
  - N.I. Sax - Dangerous properties of Industrial Materials-7, 1989 Edition
  - IFA GESTIS website
  - ECHA website
  - Database of SDS models for chemicals - Ministry of Health and ISS (Istituto Superiore di Sanità) - Italy

Note for users:

|                                      |                                                           |
|--------------------------------------|-----------------------------------------------------------|
| REALCHIMICA SRL                      | Revision nr. 2                                            |
|                                      | Dated 28/11/2025                                          |
| SL11240400_CHANTECLAIR CAPI SPORTIVI | Printed on 03/07/2026                                     |
|                                      | Page n. 16/16                                             |
|                                      | Replaced revision:1 (Dated: 14/06/2024)                   |
| Safety Data Sheet                    | According to Annex II to REACH - Regulation (EU) 2020/878 |

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.

This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses.

Provide appointed staff with adequate training on how to use chemical products.

**CALCULATION METHODS FOR CLASSIFICATION**

Chemical and physical hazards: Product classification derives from criteria established by the CLP Regulation, Annex I, Part 2. The data for evaluation of chemical-physical properties are reported in section 9.

Health hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 3, unless determined otherwise in Section 11.

Environmental hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 4, unless determined otherwise in Section 12.

The classification of this mixture, regarding the Irritation/Corrosion properties on eyes and skin, was derived by applying bridging principles (such as dilution, interpolation within a toxicity category or substantially similar mixtures, with or without expert judgement) with reference to the provisions of Article 9(3) and Article 9(4) of Regulation (EC) No. 1272/2008