



ETS-T41D-ARGB

ARGB

ETS-T41D

CPU COOLER



ARGB

ETS-T41D

CPU COOLER

- Supports up to 250W TDP
- Real-time Digital Status Display
- HDT (Heat-pipe Direct Touch) Technology Equipped with 4 x Ø6 mm Heat Pipes
- Compact Design to Fit in Most Computer Chassis
- 2 x 120mm ARGB Fans




Features


- The ETS-T41 Digital ARGB CPU Air Cooler features 4 x Ø6 mm heat pipes and 2 x 120mm FDB fans (1600 RPM and 1400 RPM) with a dual-fan forward and reverse blade design, improving airflow stability and delivering up to 250W TDP cooling performance.
- Effortlessly monitor the temperatures of CPU, GPU and fan speed with the digital display.
- Compact 157mm height heatsink size can fit into many popular chassis.
- Heat-pipe Direct Touch (HDT) technology ensures rapid thermal conduction and eliminates CPU hot spots.
- The 120mm PWM fan's 9-blade design optimizes airflow and acoustic performance.
- Support addressable RGB motherboard sync.




4 x Ø6 Heat Pipe Direct Touch Base Design



Compact Design with a Total Height of 157 mm




PWM-Controlled Fan with a 9-Blade Design



Superior Cooling Capacity (250W TDP)

Dimension

unit : mm



Specifications

Model		ETS-T41D-ARGB
CPU Socket		Intel® LGA1851/1700/115x/1200 AMD® AM5/AM4
Overall Dimension		120 X 100 x 157 mm
Weight		705g (W/ fan)
Heat Pipe		4x Ø6 mm
Display Module rated voltage		5V
Display Module Rated Current		40~80mA
Material	Heat Pipes	Copper
	Fins	Aluminum
Fan	Dimension	120 x 120 x 25 mm
	Speed	600~1600 RPM ±10% / 600~1400 RPM ±10%
	Bearing	Fluid Dynamic Bearing
	Air Flow	29.46~69.63 CFM / 28.05~56.53 CFM
	Air Flow	50.05~118.30 m³/h / 47.66~96.04 m³/h
	Static Pressure	0.36~1.39 mmH2O / 0.47~1.12 mmH2O
	Noise	25 dBA (Max) / 23.5 dBA (Max)
	Rated Voltage	12V
	Rated Current	0.19A / 0.16A
	Rated Voltage - RGB LED	5V
	Rated Current - RGB LED	0.28A
	MTTF	≥ 80,000 hrs
	Connector	4 Pin PWM + 3 Pin ARGB
Thermal Grease		Thermal grease included
TDP		250W

Logistic information

Barcode	EAN	4713157729354
	UPC	819315029350
Box Dimension	155 x 133 x 205 mm	
Gross Weight / Unit	0.95 kg	
Carton Dimension	485 x 413 x 455 mm	
Q'ty / Carton	18 pcs	
Gross Weight / Carton	19 kg	