Display

Diagonal Size
55"

Panel Type
VA

Resolution
1,920 x 1,080

Pixel Pitch (HxV)
N/A

Brightness (Typical)
3,500 (Peak 4,000)

Contrast Ratio
5,000:1

Viewing Angle (Horizontal/Vertical)

178/178

Response Time
8ms

Colour Gamut
72 %

Glass Haze
0 %

H-Scanning Frequency
26~136kHz(HDMI)

Maximum Pixel Frequency
594MHz(HDMI)

V-Scanning Frequency
24~75Hz(HDMI)

Dynamic Contrast Ratio
100,000:1

Operation Time Support
24/7

Connectivity

HDMI In
2

DP In
N/A

DVI In
N/A

Tuner In
N/A

USB
1

IR In

N/A

HDBaseT In
Yes

HDBaseT Out
N/A

Audio In
N/A

Audio Out
Stereo Mini Jack

Video Out
N/A

Video Out
No

RS232 In
Yes

RS232 Out
Yes

RJ45 In
Yes

RJ45 Out
Yes

WiFi
N/A

3G Dongle
N/A

Bluetooth
N/A

Power

Power Supply

AC100-240V 50/60Hz

Power Consumption (Off Mode)
N/A

Power Consumption (On Mode)
530W

Power Consumption (Sleep Mode)
0.5W

Dimension

Set Dimension (WxHxD)
1260.6 x 731.4 x 85 mm

Package Dimension (WxHxD)
1358 x 230 x 845 mm

Weight

Set Weight with Stand
46.1 kg

Package Weight
52.6 kg

Operation Conditions

Temperature
-30℃~ 50℃

Humidity
10 ~ 80%, non-condensing

Mechanical Specification

VESA Mount
1186 x 560 mm

Bezel Width
24.9mm (T/B/L/R)

Glass Thickness
5T

Glass Film
AG, AR, 4/λ

Frame Material
N/A

Optional Feature

Protection Glass
Yes

Mount
Sold Separately

Stand

N/A

Eco

Energy Efficiency Class

D