Translated from German to English - www.onlinedoctranslator.com

series | 4, heat pump dryer, 8 kg, silver-inox
WTH85VX0

A++



The dryer for particularly efficient drying: energy efficiency class A++.

- **EasyClean with A++:**dries very efficiently. Easy cleaning of the condenser filter.
- **AutoDry:**dries laundry precisely and gently to the desired level of dryness.
- LED display with simple touch control operation and many additional functions such as time preselection and remaining time display.
- **Sensitive Drying System:**particularly even drying without creases thanks to the unique textile-friendly drum structure.

- **Sensitive Drying System:**particularly even drying without creases thanks to the unique textile-friendly drum structure.

special accessories

WMZ20600 :

WTZ1110 :

WTZ2741X : Connection kit

Technical specifications

design :	standing device
Removable worktop : Door	no
stop :	Right
Length of connection cable (cm) :	145.0
Height of worktop (mm) : Unit	842
dimensions (mm) : Net weight (kg) :	842x598x599 47,762
Fluorinated greenhouse gases :	no
Type of refrigerant :	R290
Hermetically sealed device : Amount of	Yes
refrigerant (kg) :	0.120
EAN Code :	4242005238712
Connection value (W) :	625
Fuse (A) :	10
Voltage (V) :	220-240
Frequency (Hz) :	50
Approval Certificates :	CE, VDE
Nominal capacity in kg of cotton for the standard cotton program at full load - new (2010/30/EC) :	8.0
:	Cotton cupboard dry
Energy efficiency class (2010/30/EC) : Energy consumption of the	A++
standard cotton program at full load for electrically heated household tumble dryers - new (2010/30/EC) : Program duration of the standard cotton program at full load (min) :	1.87
	205
Energy consumption of standard cotton program at partial load for electrically heated household tumble dryers - new (2010/30/EC) (kWh) :	1.14
Program duration of the standard cotton program at partial load (min):	130
Weighted annual energy consumption for electrically heated household tumble dryers - new (2010/30/EC) (kWh) :	236.0
Weighted program duration of the standard cotton program at full load and partial load (min) : Average condensation efficiency of the standard	162
cotton program at full load (%) : Average condensation efficiency of the standard cotton program at partial load (%) :	81
	81
Weighted condensation efficiency for the standard cotton program at full load and partial load (%) :	81

'!2E20AF-cdihbc

series | 4, heat pump dryer, 8 kg, silver-inox
WTH85VX0

The dryer for particularly efficient drying: energy efficiency class A++.

- Housing color silver-inox

performance and consumption

- Nominal capacity for the standard cotton program at full load: 8 kg of cotton laundry
- Type of dryer: condensation
- Energy efficiency class: A++ on an energy efficiency class scale from A+++ to D
- Energy consumption of 236.0 kWh/year based on 160 drying cycles for the standard cotton program at full and partial load and

  the consumption of the modes with low power consumption. The actual energy consumption per cycle depends on how the device is used
- Energy consumption of the standard cotton program at full load 1.87 kWh and energy consumption of the standard cotton program at partial load 1.14 kWh
- Power consumption in off mode 0.1 W and in non-off mode 0.75 W
- The Cottons Cupboard Dry program is the standard drying program to which the information on the label and in the fiche relates. This program is suitable for drying normal wet cotton fabrics and is the most efficient in terms of energy consumption for cotton.
- Weighted program duration of the standard cotton program with full and partial filling: 162 min.
- Program duration of the standard cotton program with full load 205 min and program duration of the standard cotton program with partial load 130 min.
- Condensation efficiency class B on a scale from G (least efficient) to A (most efficient).
- average condensation efficiency of the standard cotton program at full load 81%; and average condensation efficiency of the standard cotton program at partial load 81%.
- Weighted condensation efficiency of the standard cotton program 81%.
- Sound power level: 65 dB (A) re 1 pW

programs

- Special programs: wool finish, quick/mix, towels, warm time program, loosen up, sportswear, down, extra short 40', blouses/ shirts

options

- TouchControl buttons: gentle drying, anti-crease, program duration, fine adjustment of degree of drying, 24 h ready in


comfort and safety

- EasyClean filter: easy cleaning of the condenser filter.
- AutoDry: moisture-controlled drying programs
- AntiVibration Design: more stability and smooth running
- Sensitive Drying System: large stainless steel drum, driver in soft design
- Fully electronic one-button operation for humidity-controlled, time and special programs
- LED display for remaining time display and 24 h end time preselection, program status, additional functions
- Display for full condensate tank
- lint indicator
- child lock
- Anti-crease after program end
- Signal at the end of the program
- Glass door silver-inox, black-grey
- Door stop: right
- condensate drain fitting

Technical information

- can be pushed under from a niche height of 85 cm
- Device dimensions (H x W): 84.2 cm x 59.8 cm
- Device depth: 59.9 cm
- Device depth including door: 65.2 cm
- Device depth with open door: 107.5 cm
- Heat pump technology with environmentally friendly refrigerant R290

series | 4, heat pump dryer, 8 kg, silver-inox
WTH85VX0



Maße in mm

Maße in mm

