

Bosch SMV6ZDX49E Series 6, dishwasher

Energy efficiency class	C
Energy consumption per 100 operating cycles	74 kWh
Water consumption per operating cycle	9.5 liters
Nominal capacity in standard place settings	13 place settings
Rinse duration standard program	3 h: 55 min
Airborne noise emissions	42 dB(A)
Airborne noise emission class	B
Design	built-in device/ fully integrable
Device volume night mode	40 dB
type	dishwasher
EAN	4242005173839
Manufacturer no.	SMV6ZDX49E
series	series 6
SmartHome compatible	Home Connect
Operation	PiezoTouchControl operation (metallic) from above with plain text inscription (English), options: pre-rinse
Display/display	TimeLight, EmotionLight, remaining time, refill salt, refill rinse aid
Remarks	inner container/ base: stainless steel/stainless steel, height-adjustable feet only at the front, height adjustment of feet maximum 60 mm
Dishwashing programs	8 programs, Eco 50 °C, Auto 45-65 °C, Intensive 70 °C, 1.5 h 60 °C, Fast 45 °C, Glass 40 °C, Silence 50 °C, Favorite
Other programs	4 special functions: remote start, extra drying, intensive zone, SpeedPerfect+, machine care program
Standard program	eco
Functions	load detection, dosing assistant, automatic cleaner, flow heater (technology), heat exchanger, zeolite drying
Sensors	Aqua Sensor
Start time preselection	From 1 hour/s to 24 hours

Bosch SMV6ZDX49E Series 6, dishwasher

Loading	of the upper basket, height-adjustable upper basket with Rackmatic (2-stage), 2x foldable rows of spikes, smooth-running rollers in the upper basket, cup rack (2-part) 2x foldable rows of spikes, smooth-running rollers in the upper basket, cup rack (2-part). Lower basket 6x foldable rows of spikes, additional cup rack (2-piece), Vario cutlery basket. More information Max Flex basket system with colored touchpoints, extra clean zone, third basket, comfort castors in the lower basket and the 3rd loading level, colored anti-slip coating in the upper basket, basket stopper (rack stopper) to prevent the lower basket from rolling over
End of program signal	Acoustic
Security	Aqua-Stop-System, glass protection technology
Door / panel depth	at least 550 mm
Water connection	maximum 60 °C
Water hose	inlet length: 165 cm, outlet length: 190 cm
Power supply	220 volts - 240 volts, frequency 50/60 Hz
Energy consumption operation	2,400 watts 0.736 kWh per operating cycle Standby 5 watts Off state 0.5 watts
Water consumption	Annually 2,660 liters
Note	Built-in devices are supplied without a front panel.
Feature	EcoSilence Drive motor, Home Connect-enabled via WiFi, ActiveWater hydraulic system
More information	is available via the Home Connect app: Easy Start (program recommendation), tab counter, push notifications, remote diagnosis
Accessories	available Salt filling aid (funnel), steam protection sheet
Dimensions	Width: 598mm x Height: 815mm x Depth/Length: 550mm
Niche dimensions	width at least 600 mm Height 815 to 875 mm
Length of power cord	175 cm

Bosch SMV6ZDX49E Series 6, dishwasher

Weight	46.8kg
--------	--------